


NTA / 1400 Series Airbrake Fittings (Category 36)

TUBE: Nylon J844 Airbrake Tube.
PRESSURE: Medium pressure rating. 200PSI/1400Kpa.
TEMPERATURE: 0° C to 120° C
TYPICAL USES: Airbrake systems



D.O.T. Approved Brass Airbrake Fittings for the transport Industry. This range of compression fittings comes pre assembled with the #99NA Tube Insert to fit J844A and J844B Nylon Tube.




#1NA
Tube Olive

Code	Tube
36-001-04	1/4
36-001-06	3/8
36-001-08	1/2
36-001-10	5/8
36-001-12	3/4



#2NA
Tube Nut

Code	Tube	Thread
36-002-04	1/4	7/16x24
36-002-06	3/8	17/32x24
36-002-08	1/2	11/16x20
36-002-10	5/8	13/16x18
36-002-12	3/4	1"x18



Refer to
Category 14
for Tube
Information.



#3NA
Male Adaptor

Code	Tube	Male
36-003-0401	1/4	1/16 NPT
36-003-0402	1/4	1/8 NPT
36-003-0404	1/4	1/4 NPT
36-003-0406	1/4	3/8 NPT
36-003-0602	3/8	1/8 NPT
36-003-0604	3/8	1/4 NPT
36-003-0606	3/8	3/8 NPT
36-003-0608	3/8	1/2 NPT
36-003-0804	1/2	1/4 NPT
36-003-0804BSP	1/2	1/4 BSPT
36-003-0806	1/2	3/8 NPT
36-003-0808	1/2	1/2 NPT
36-003-0812	1/2	3/4 NPT
36-003-1006	5/8	3/8 NPT
36-003-1008	5/8	1/2 NPT
36-003-1012	5/8	3/4 NPT
36-003-1208	3/4	1/2 NPT
36-003-1212	3/4	3/4 NPT



#4NA
Tube Union

Code	Tube
36-004-04	1/4
36-004-06	3/8
36-004-08	1/2
36-004-10	5/8
36-004-12	3/4



#5NA
Male Elbow Adaptor

Code	Tube	Male
36-005-0402	1/4	1/8 NPT
36-005-0404	1/4	1/4 NPT
36-005-0406	1/4	3/8 NPT
36-005-0602	3/8	1/8 NPT
36-005-0604	3/8	1/4 NPT
36-005-0606	3/8	3/8 NPT
36-005-0608	3/8	1/2 NPT
36-005-0804	1/2	1/4 NPT
36-005-0806	1/2	3/8 NPT
36-005-0808	1/2	1/2 NPT
36-005-1006	5/8	3/8 NPT
36-005-1008	5/8	1/2 NPT
36-005-1012	5/8	3/4 NPT
36-005-1208	3/4	1/2 NPT




#5NAD
45° Male Elbow Adaptor

Code	Tube	Male
36-005D-0402	1/4	1/8 NPT
36-005D-0404	1/4	1/4 NPT
36-005D-0602	3/8	1/8 NPT
36-005D-0604	3/8	1/4 NPT
36-005D-0606	3/8	3/8 NPT
36-005D-0608	3/8	1/2 NPT
36-005D-0804	1/2	1/4 NPT
36-005D-0806	1/2	3/8 NPT
36-005D-0808	1/2	1/2 NPT
36-005D-1006	5/8	3/8 NPT
36-005D-1008	5/8	1/2 NPT

NTA / 1400 Series Airbrake Fittings (Category 36)

TUBE: Nylon J844 Airbrake Tube.
PRESSURE: Medium pressure rating around 200PSI/1400Kpa decreasing on larger tube sizes and on nylon.
TEMPERATURE: 0° C to 120° C



#10NA
Female
Adaptor

Code	Tube	Female
36-010-0402	1/4	1/8 NPT
36-010-0404	1/4	1/4 NPT
36-010-0602	3/8	1/8 NPT
36-010-0604	3/8	1/4 NPT
36-010-0606	3/8	3/8 NPT
36-010-0806	1/2	3/8 NPT
36-010-0808	1/2	1/2 NPT
36-010-1008	5/8	1/2 NPT



#13NA
Male
Run Tee

Code	Tube	Male
36-013-0402	1/4	1/8 NPT
36-013-0404	1/4	1/4 NPT
36-013-0604	3/8	1/4 NPT
36-013-0606	3/8	3/8 NPT
36-013-0806	1/2	3/8 NPT
36-013-0808	1/2	1/2 NPT
36-013-1008	5/8	1/2 NPT



#31NA
Bulkhead
Tube Union

Code	Tube
36-031-04	1/4
36-031-06	3/8
36-031-08	1/2



#99NA
Tube
Insert

Code	Tube
36-099-04	1/4
36-099-06	3/8
36-099-08	1/2
36-099-10	5/8
36-099-12	3/4



#11NA
Union
Elbow

Code	Tube
36-011-04	1/4
36-011-06	3/8
36-011-08	1/2
36-011-10	5/8



#14NA
Union
Tee

Code	Tube
36-014-04	1/4
36-014-06	3/8
36-014-08	1/2
36-014-10	5/8



#12NA
Male
Branch Tee

Code	Tube	Male
36-012-0402	1/4	1/8 NPT
36-012-0404	1/4	1/4 NPT
36-012-0602	3/8	1/8 NPT
36-012-0604	3/8	1/4 NPT
36-012-0606	3/8	3/8 NPT
36-012-0804	1/2	1/4 NPT
36-012-0806	1/2	3/8 NPT
36-012-0808	1/2	1/2 NPT
36-012-1008	5/8	1/2 NPT



#15NA
Female Elbow
Adaptor


Code	Tube	Female
36-015-0402	1/4	1/8 NPT
36-015-0404	1/4	1/4 NPT
36-015-0602	3/8	1/8 NPT
36-015-0604	3/8	1/4 NPT
36-015-0606	3/8	3/8 NPT
36-015-0806	1/2	3/8 NPT
36-015-0808	1/2	1/2 NPT

ALSO AVAILABLE

SAE J1402 Rubber
Airbrake Hose and Fittings.

Contact the sales office for
further information

Do you need a thread sealant?
 We stock various types of thread
 tape and a full range of Bondloc
 thread lockers and sealants.



NTA / 1400 Series Airbrake Fittings Metric (Category 36)



D.O.T. Approved Brass Airbrake Fittings for the transport Industry. This range of compression fittings comes pre assembled with the #99NA Tube Insert to fit DIN74324 Nylon Tube.



METRIC TUBE SIZES



#1NA
Tube
Olive

Code	Tube
36-M001-04	4mm
36-M001-06	6mm
36-M001-08	8mm
36-M001-10	10mm
36-M001-12	12mm



#2NA
Tube
Nut

Code	Tube	Thread
36-M002-04	4mm	M8x1.0
36-M002-06	6mm	M10x1.0
36-M002-08	8mm	M12x1.0
36-M002-10	10mm	M14x1.1
36-M002-12	12mm	M16x1.0



#3NA
Male
Adaptor

Code	Tube	Male
36-M003-0402	4mm	1/8 NPT
36-M003-0602	6mm	1/8 NPT
36-M003-0604	6mm	1/4 NPT
36-M003-0804	8mm	1/4 NPT
36-M003-0806	8mm	3/8 NPT
36-M003-1006	10mm	3/8 NPT
36-M003-1206	12mm	3/8 NPT



#5NA
Male Elbow
Adaptor

Code	Tube	Male
36-M005-0402	4mm	1/8 NPT
36-M005-0602	6mm	1/8 NPT
36-M005-0604	6mm	1/4 NPT
36-M005-0804	8mm	1/4 NPT
36-M005-0806	8mm	3/8 NPT
36-M005-1006	10mm	3/8 NPT
36-M005-1206	12mm	3/8 NPT



#4NA
Tube
Union

Code	Tube
36-M004-04	4mm
36-M004-06	6mm
36-M004-08	8mm
36-M004-10	10mm
36-M004-12	12mm



#99NA
Tube
Insert

Code	Tube
36-M099-04	4mm
36-M099-06	6mm
36-M099-08	8mm
36-M099-10	10mm
36-M099-12	12mm

DIN74324 /J844A Metric Single Wall Airbrake Tube Information

Code	Size		Burst Pressure		Working Pressure		Available Lengths	Available Colours
	O.D.	I.D.	PSI	kPa	PSI	kPa		
14-SWM04	4mm	2mm	1200	8300	150	1000	25,50,100m	Black
14-SWM06	6mm	4mm	1200	8300	150	1000	25,50,100m	Black, Blue, Red, Green
14-SWM08	8mm	6mm	1000	6900	150	1000	25,50,100m	Black, Blue, Red
14-SWM10075	10mm	7.5mm	Note : Burst pressures are not required for DIN standard Tube. The first 3 sizes above are J844A pressure ratings.		275	1900	25,50,100m	Black, Blue, Red
14-SWM1008	10mm	8mm		220	1500	100m	Black	
14-SWM12	12mm	9mm		275	1900	25,50,100m	Black, Blue, Red	
14-SWM14	14mm	10mm		320	2200	25,50,100m	Black	
14-SWM15	15mm	12mm		220	1500	25,50,100m	Black	
14-SWM16	16mm	12mm		275	1900	25,50,100m	Black	