

Gal Mal Fittings (Category 70)



**#24GM
Reducing Bush**

Code	Male	Female
70-024-0402	1/4	1/8
70-024-0602	3/8	1/8
70-024-0604	3/8	1/4
70-024-0802	1/2	1/8
70-024-0804	1/2	1/4
70-024-0806	1/2	3/8
70-024-1202	3/4	1/8
70-024-1204	3/4	1/4
70-024-1206	3/4	3/8
70-024-1208	3/4	1/2
70-024-1604	1"	1/4
70-024-1606	1"	3/8
70-024-1608	1"	1/2
70-024-1612	1"	3/4
70-024-2006	1.1/4	3/8
70-024-2008	1.1/4	1/2
70-024-2012	1.1/4	3/4
70-024-2016	1.1/4	1"
70-024-2406	1.1/2	3/8
70-024-2408	1.1/2	1/2
70-024-2412	1.1/2	3/4
70-024-2416	1.1/2	1"
70-024-2420	1.1/2	1.1/4
70-024-3206	2"	3/8
70-024-3208	2"	1/2
70-024-3212	2"	3/4
70-024-3216	2"	1"
70-024-3220	2"	1.1/4
70-024-3224	2"	1.1/2
70-024-4008	2.1/2	1/2
70-024-4012	2.1/2	3/4
70-024-4016	2.1/2	1"
70-024-4020	2.1/2	1.1/4
70-024-4024	2.1/2	1.1/2
70-024-4032	2.1/2	2"
70-024-4824	3"	1.1/2
70-024-4832	3"	2"
70-024-4840	3"	2.1/2
70-024-6432	4"	2"
70-024-6440	4"	2.1/2
70-024-6448	4"	3"
70-024-9640	6"	2.1/2
70-024-9648	6"	3"
70-024-9664	6"	4"



**#25GMB
M&F Bend**

Code	Size
70-025B-08	1/2
70-025B-12	3/4
70-025B-16	1"
70-025B-20	1.1/4
70-025B-24	1.1/2
70-025B-32	2"
70-025B-40	2.1/2
70-025B-48	3"
70-025B-64	4"



**#25GM
M&F Elbow**

Code	Size
70-025-04	1/4
70-025-06	3/8
70-025-08	1/2
70-025-12	3/4
70-025-16	1"
70-025-20	1.1/4
70-025-24	1.1/2
70-025-32	2"
70-025-40	2.1/2
70-025-48	3"
70-025-64	4"



**#25GMD
45° M&F Elbow**

Code	Size
70-025D-08	1/2
70-025D-12	3/4
70-025D-16	1"
70-025D-20	1.1/4
70-025D-24	1.1/2
70-025D-32	2"



**#25GMDB
45° M&F Bend**

Code	Size
70-025DB-08	1/2
70-025DB-12	3/4
70-025DB-16	1"
70-025DB-20	1.1/4
70-025DB-24	1.1/2
70-025DB-32	2"
70-025DB-40	2.1/2
70-025DB-48	3"
70-025DB-64	4"



**#26GM
Socket (Ribbed)**

Code	Size
70-026-04	1/4
70-026-06	3/8
70-026-08	1/2
70-026-12	3/4
70-026-16	1"
70-026-20	1.1/4
70-026-24	1.1/2
70-026-32	2"
70-026-40	2.1/2
70-026-48	3"
70-026-64	4"
70-026-96	6"



**#27GM
Hex Nipple**

Code	Size
70-027-02	1/8
70-027-04	1/4
70-027-06	3/8
70-027-08	1/2
70-027-12	3/4
70-027-16	1"
70-027-20	1.1/4
70-027-24	1.1/2
70-027-32	2"
70-027-40	2.1/2
70-027-48	3"
70-027-64	4"
70-027-96	6"



**#33GM
Cap**

Code	Size
70-033-04	1/4
70-033-06	3/8
70-033-08	1/2
70-033-12	3/4
70-033-16	1"
70-033-20	1.1/4
70-033-24	1.1/2
70-033-32	2"
70-033-40	2.1/2
70-033-48	3"
70-033-64	4"
70-033-96	6"

Gal Mal Fittings (Category 70)



#29GM
Reducing Socket
(Ribbed)

Code	Female	Female
70-029-0402	1/4	1/8
70-029-0602	3/8	1/8
70-029-0604	3/8	1/4
70-029-0804	1/2	1/4
70-029-0806	1/2	3/8
70-029-1204	3/4	1/4
70-029-1206	3/4	3/8
70-029-1208	3/4	1/2
70-029-1606	1"	3/8
70-029-1608	1"	1/2
70-029-1612	1"	3/4
70-029-2006	1.1/4	3/8
70-029-2008	1.1/4	1/2
70-029-2012	1.1/4	3/4
70-029-2016	1.1/4	1"
70-029-2408	1.1/2	1/2
70-029-2412	1.1/2	3/4
70-029-2416	1.1/2	1"
70-029-2420	1.1/2	1.1/4
70-029-3208	2"	1/2
70-029-3212	2"	3/4
70-029-3216	2"	1"
70-029-3220	2"	1.1/4
70-029-3224	2"	1.1/2
70-029-4012	2.1/2	3/4
70-029-4016	2.1/2	1"
70-029-4020	2.1/2	1.1/4
70-029-4024	2.1/2	1.1/2
70-029-4032	2.1/2	2"
70-029-4824	3"	1.1/2
70-029-4832	3"	2"
70-029-4840	3"	2.1/2
70-029-6432	4"	2"
70-029-6440	4"	2.1/2
70-029-6448	4"	3"
70-029-9664	6"	4"



#34GMB
Female Bend

Code	Size
70-034B-04	1/4
70-034B-06	3/8
70-034B-08	1/2
70-034B-12	3/4
70-034B-16	1"
70-034B-20	1.1/4
70-034B-24	1.1/2
70-034B-32	2"
70-034B-40	2.1/2
70-034B-48	3"
70-034B-64	4"



#35GM
Female Tee

Code	Size
70-035-04	1/4
70-035-06	3/8
70-035-08	1/2
70-035-12	3/4
70-035-16	1"
70-035-20	1.1/4
70-035-24	1.1/2
70-035-32	2"
70-035-40	2.1/2
70-035-48	3"
70-035-64	4"
70-035-96	6"



#34GMD
45° Female Elbow

Code	Size
70-034D-08	1/2
70-034D-12	3/4
70-034D-16	1"
70-034D-20	1.1/4
70-034D-24	1.1/2
70-034D-32	2"
70-034D-40	2.1/2
70-034D-48	3"
70-034D-64	4"



#35GMR
Reducing Female
Tee

Code	Female	Female
70-035R-0806	1/2	3/8
70-035R-1206	3/4	3/8
70-035R-1208	3/4	1/2
70-035R-1606	1"	3/8
70-035R-1608	1"	1/2
70-035R-1612	1"	3/4
70-035R-1624	1"	1.1/4
70-035R-2006	1.1/4	3/8
70-035R-2008	1.1/4	1/2
70-035R-2012	1.1/4	3/4
70-035R-2016	1.1/4	1"
70-035R-2024	1.1/4	1.1/2
70-035R-2406	1.1/2	3/8
70-035R-2408	1.1/2	1/2
70-035R-2412	1.1/2	3/4
70-035R-2416	1.1/2	1"
70-035R-2420	1.1/2	1.1/4
70-035R-2432	1.1/2	2"
70-035R-3208	2"	1/2
70-035R-3212	2"	3/4
70-035R-3216	2"	1"
70-035R-3220	2"	1.1/4
70-035R-3224	2"	1.1/2
70-035R-4016	2.1/2	1"
70-035R-4020	2.1/2	1.1/4
70-035R-4024	2.1/2	1.1/2
70-035R-4032	2.1/2	2"
70-035R-4824	3"	1.1/2
70-035R-4832	3"	2"
70-035R-4840	3"	2.1/2
70-035R-6440	4"	2.1/2
70-035R-6448	4"	3"
70-035R-9664	6"	4"



#34GM
Female Elbow

Code	Size
70-034-04	1/4
70-034-06	3/8
70-034-08	1/2
70-034-12	3/4
70-034-16	1"
70-034-20	1.1/4
70-034-24	1.1/2
70-034-32	2"
70-034-40	2.1/2
70-034-48	3"
70-034-64	4"
70-034-96	6"



#34GMR
Reducing Female
Elbow

Code	Female	Female
70-034R-0806	1/2	3/8
70-034R-1204	3/4	1/4
70-034R-1206	3/4	3/8
70-034R-1208	3/4	1/2
70-034R-1606	1"	3/8
70-034R-1608	1"	1/2
70-034R-1612	1"	3/4
70-034R-2006	1.1/4	3/8
70-034R-2008	1.1/4	1/2
70-034R-2012	1.1/4	3/4
70-034R-2016	1.1/4	1"
70-034R-2408	1.1/2	1/2
70-034R-2412	1.1/2	3/4
70-034R-2416	1.1/2	1"
70-034R-2420	1.1/2	1.1/4
70-034R-3208	2"	1/2
70-034R-3212	2"	3/4
70-034R-3216	2"	1"
70-034R-3220	2"	1.1/4
70-034R-3224	2"	1.1/2

Gal Mal Fittings (Category 70)



#37GM
Female Cross

Code	Size
70-037-08	1/2
70-037-12	3/4
70-037-16	1"
70-037-20	1.1/4
70-037-24	1.1/2
70-037-32	2"
70-037-40	2.1/2
70-037-48	3"
70-037-64	4"



#48GMB
Male Bend

Code	Size
70-048B-08	1/2
70-048B-12	3/4
70-048B-16	1"
70-048B-20	1.1/4
70-048B-24	1.1/2
70-048B-32	2"



#64GM
Plug
Solid up to 1"

Code	Size
70-064-02	1/8
70-064-04	1/4
70-064-06	3/8
70-064-08	1/2
70-064-12	3/4
70-064-16	1"
70-064-20	1.1/4
70-064-24	1.1/2
70-064-32	2"
70-064-40	2.1/2
70-064-48	3"
70-064-64	4"
70-064-96	6"



#73GM
Reducing Nipple

Code	Male	Male
70-073-0402	1/4	1/8
70-073-0602	3/8	1/8
70-073-0604	3/8	1/4
70-073-0802	1/2	1/8
70-073-0804	1/2	1/4
70-073-0806	1/2	3/8
70-073-1204	3/4	1/4
70-073-1206	3/4	3/8
70-073-1208	3/4	1/2
70-073-1606	1"	3/8
70-073-1608	1"	1/2
70-073-1612	1"	3/4
70-073-2008	1.1/4	1/2
70-073-2012	1.1/4	3/4
70-073-2016	1.1/4	1"
70-073-2408	1.1/2	1/2
70-073-2412	1.1/2	3/4
70-073-2416	1.1/2	1"
70-073-2420	1.1/2	1.1/4
70-073-3216	2"	1"
70-073-3220	2"	1.1/4
70-073-3224	2"	1.1/2
70-073-4024	2.1/2	1.1/2
70-073-4032	2.1/2	2"
70-073-4832	3"	2"
70-073-4840	3"	2.1/2
70-073-6432	4"	2"
70-073-6440	4"	2.1/2
70-073-6448	4"	3"



#74GM
Locknut

Code	Size
70-074-08	1/2
70-074-12	3/4
70-074-16	1"
70-074-20	1.1/4
70-074-24	1.1/2
70-074-32	2"
70-074-40	2.1/2
70-074-48	3"
70-074-64	4"



#85GM
Barrell Union
Brass / Iron Seat

Code	Size
70-085-04	1/4
70-085-06	3/8
70-085-08	1/2
70-085-12	3/4
70-085-16	1"
70-085-20	1.1/4
70-085-24	1.1/2
70-085-32	2"
70-085-40	2.1/2
70-085-48	3"
70-085-64	4"



#85GMF
Barrell Union
Flat Seat

Code	Size
70-085F-08	1/2
70-085F-12	3/4
70-085F-16	1"
70-085F-20	1.1/4
70-085F-24	1.1/2
70-085F-32	2"
70-085F-40	2.1/2
70-085F-48	3"
70-085F-64	4"
70-085F-96	6"

- Galvanised Malleable Pipe Fittings are made from Blackheart malleable cast iron. They are suitable for steam, air, water, gas and oil. Pressure ratings are shown in the table below.
- Hot dip galvanised is the standard finish. Some parts available with a black finish.
- All fittings are tested for leakage at an internal hydraulic pressure of 300 PSI or at an internal air pressure of 150 PSI.

ALSO AVAILABLE

- Gal Mal Flanges drilled Table D from 1/2 to 6"
- Galvanised U Bolts with nuts from 1/2 to 10"

Call for further details



Medium	Temperature	Max Working Pressure
Water – Non Shock Pressure	120° C	300 PSI
Steam, Air, Gas, Oil and Water	220° C	200 PSI
Steam, Air, Gas and Oil	300° C	150 PSI

Gal Steel Threaded Pipe Pieces (Category 70)

Thread Size - 1/2 to 2"

Length		1/2 BSP	3/4 BSP	1" BSP	1.1/4 BSP	1.1/2 BSP	2" BSP
	4" 100mm	70-028-0804	70-028-1204	70-028-1604	70-028-2004	70-028-2404	70-028-3204
	6" 150mm	70-028-0806	70-028-1206	70-028-1606	70-028-2006	70-028-2406	70-028-3206
	8" 200mm	70-028-0808	70-028-1208	70-028-1608	70-028-2008	70-028-2408	70-028-3208
	10" 250mm	70-028-0810	70-028-1210	70-028-1610	70-028-2010	70-028-2410	70-028-3210
	12" 300mm	70-028-0812	70-028-1212	70-028-1612	70-028-2012	70-028-2412	70-028-3212
	14" 350mm	70-028-0814	70-028-1214	70-028-1614	70-028-2014	70-028-2414	70-028-3214
	16" 400mm	70-028-0816	70-028-1216	70-028-1616	70-028-2016	70-028-2416	70-028-3216
	18" 450mm	70-028-0818	70-028-1218	70-028-1618	70-028-2018	70-028-2418	70-028-3218
	20" 500mm	70-028-0820 11.09	70-028-1220	70-028-1620	70-028-2020	70-028-2420	70-028-3220
24" 600mm	70-028-0824	70-028-1224	70-028-1624	70-028-2024	70-028-2424	70-028-3224	
30" 750mm	70-028-0830	70-028-1230	70-028-1630	70-028-2030	70-028-2430	70-028-3230	
36" 900mm	70-028-0836	70-028-1236	70-028-1636	70-028-2036	70-028-2436	70-028-3236	



Thread Size - 2.1/2 to 4"

Length		2.1/2 BSP	3" BSP	4" BSP
	6" 150mm	70-028-4006	70-028-4806	70-028-6406
	8" 200mm	70-028-4008	70-028-4808	70-028-6408
	10" 250mm	70-028-4010	70-028-4810	70-028-6410
	12" 300mm	70-028-4012	70-028-4812	70-028-6412
	14" 350mm	70-028-4014	70-028-4814	70-028-6414
	16" 400mm	70-028-4016	70-028-4816	70-028-6416
	18" 450mm	70-028-4018	70-028-4818	70-028-6418
	20" 500mm	70-028-4020	70-028-4820	70-028-6420
	24" 600mm	70-028-4024	70-028-4824	70-028-6424