
Westinghouse Style Airbrake Fittings (Category 34)

TUBE: Copper, Aluminium, Bundy,Nylon(spigot must be used with nylon tube) **PRESSURE:**Around 3500KPA/500PSI, but if used with nylon tube, it will depend on the pressure rating of the tube.



TEMPERATURE: 0°C to 120°C **TYPICAL USES:** For Airbrake systems.

Y		5	
	1		
		- 1	

Code

34-001-04

34-001-06

34-001-08

34-001-10

34-001-12



Tube

1/4

3/8

1/2

5/8

3/4

	-	1
-		
-		

Tube	
Union	

Tube

1/4

3/8

1/2

5/8

3/4

#400BF

	-
-	1
1	0

Code

34-011-04

34-011-06

34-011-08

34-011-10

#1000BF Female Adaptor

#1100BF Union Elbow

Гube

1/4

3/8

1/2

5/8

Code	Tube	Female
34-010-0404	1/4	1/4 NPT
34-010-0602	3/8	1/8 NPT
34-010-0604	3/8	1/4 NPT
34-010-0606	3/8	3/8 NPT
34-010-0806	1/2	3/8 NPT
34-010-0808	1/2	1/2 NPT



#200BF Tube Nut

Code	Tube
34-002-04	1/4
34-002-06	3/8
34-002-08	1/2
34-002-10	5/8
34-002-12	3/4





Code	Tube	Male
34-003-0402	1/4	1/8 NPT
34-003-0404	1/4	1/4 NPT
34-003-0406	1/4	3/8 NPT
34-003-0602	3/8	1/8 NPT
34-003-0604	3/8	1/4 NPT
34-003-0606	3/8	3/8 NPT
34-003-0608	3/8	1/2 NPT
34-003-0804	1/2	1/4 NPT
34-003-0806	1/2	3/8 NPT
34-003-0808	1/2	1/2 NPT
34-003-1006	5/8	3/8 NPT
34-003-1008	5/8	1/2 NPT
34-003-1208	3/4	1/2 NPT
34-003-1212	3/4	3/4 NPT



Code

34-004-04

34-004-06

34-004-08

34-004-10

34-004-12

#500BF Male Elbow Adaptor

Code	Tube	Male
34-005-0402	1/4	1/8 NPT
34-005-0404	1/4	1/4 NPT
34-005-0406	1/4	3/8 NPT
34-005-0602	3/8	1/8 NPT
34-005-0604	3/8	1/4 NPT
34-005-0606	3/8	3/8 NPT
34-005-0608	3/8	1/2 NPT
34-005-0804	1/2	1/4 NPT
34-005-0806	1/2	3/8 NPT
34-005-0808	1/2	1/2 NPT
34-005-1006	5/8	3/8 NPT
34-005-1008	5/8	1/2 NPT
34-005-1212	3/4	3/4 NPT



#1200BF Male Branch Tee

Code	Tube	Male
34-012-0404	1/4	1/4 NPT
34-012-0602	3/8	1/8 NPT
34-012-0604	3/8	1/4 NPT
34-012-0606	3/8	3/8 NPT
34-012-0806	1/2	3/8 NPT
34-012-0808	1/2	1/2 NPT
34-012-1008	5/8	1/2 NPT



#500BFD 45° Male Elbow Adaptor

Code	Tube	Male
34-005D-0604	3/8	1/4 NPT
34-005D-0606	3/8	3/8 NPT
34-005D-0806	1/2	3/8 NPT
34-005D-1008	5/8	1/2 NPT

Westinghouse Style Airbrake Fittings (Category 34)

TUBE: Copper, Aluminium, Bundy, Nylon(spigot must be used with nylon tube) **PRESSURE:**Around 3500KPA/500PSI, but if used with nylon tube, it will depend on the pressure rating of the tube.

TEMPERATURE: 0°C to 120°C **TYPICAL USES:** For Airbrake systems.



#1300BF Male Run Tee

Tee

#1500BF

Female Elbow

Adaptor


Female

1/4 NPT

3/8 NPT

Code	Tube	Male
34-013-0604	3/8	1/4 NPT
34-013-0606	3/8	3/8 NPT
34-013-0806	1/2	3/8 NPT





#99DS Tube Insert for DIN74324 Metric Tube

Code	Tube O.D.	Tube I.D.
34-99DS06	6mm	4mm
34-99DS08	8mm	6mm
34-99DS10	10mm	7.5mm
34-99DS12	12mm	9mm
34-99DS15	15mm	12mm
34-99DS18	18mm	14mm



#99JM Tube Insert for J844A & J844B Metric Tube

		Tube O.D.	Tube I.D.
	34-99JMA06	6mm	4mm
	34-99JMA08	8mm	6mm
	34-99JMB10	10mm	7mm
ſ	34-99JMB12	12mm	9mm
	34-99JMB16	16mm	12mm

Code	Tube
34-014-04	1/4
34-014-06	3/8
34-014-08	1/2
34-014-10	5/8



Code

34-99JA02

34-99JA04

34-99JA05

#99J Tube Insert for J844A & J844B Imperial Tube

Tube I.D.

0.078

0.170

0.232



ABS x NPT Adaptors

Code	ABS	NPT
34-A0604	3/8 (3/4x20)	1/4 NPT
34-A0606	3/8 (3/4x20)	3/8 NPT
34-A0608	3/8 (3/4x20)	1/2 NPT
34-A0806	1/2 (7/8x20)	3/8 NPT



Do you need a thread sealant? We stock various types of thread tape and a full range of Bondloc thread lockers and sealants.


`ube

3/8

3/8

Code 34-015-0604

34-015-0606



Гube O.D.

1/8

1/4

5/16





16-18 Smeaton Avenue, Dandenong South. Victoria 3174 Phone (03) 8770 1333 Email : <u>sales@ifsvic.com.au</u>

Hose Joiner

Hose Ends for J1402 Air Brake Rubber Hose (Category 34)

Field Attachable Series.

To assemble, slide nut and sleeve onto hose. Make sure bevel edge of sleeve faces out toward Fitting. Push hose into Fitting until it bottoms and tighten nut until contact is made with body hex.



Code

34-J001-06

34-J001-08

Hose Sleeve

Hose I.D.

3/8

1/2



Code

34-J002-06

34-J002-08

Hose Nut



Code

	Hose I.D
3	1/2



Hose x Female Thread

Code	Hose I.D.	Thread
34-J010-0606	3/8	3/8 ABS
34-J010-0808	1/2	1/2 ABS





Code	Hose I.D.	Thread	Code
34-J003-0606	3/8	3/8 NPT	34-J003
34-J003-0608	3/8	1/2 NPT	34-J003
34-J003-0806	1/2	3/8 NPT	34-J003
34-J003-0808	1/2	1/2 NPT	34-J003



Hose x Male Thread with Spring

Code	Hose I.D.	Thread
34-J003S-0604	3/8	1/4 NPT
34-J003S-0606	3/8	3/8 NPT
34-J003S-0608	3/8	1/2 NPT
34-J003S-0808	1/2	1/2 NPT



Hose	Spring
------	--------

Code	Hose I.D.
34-JS-06	3/8
34-JS-08	1/2

Brass Permanent Crimp Series



Brass Crimp Ferrule

Hose x Male


Thread Swivel



		x Male nread
Code	Hose I.D.	Thread

Code	Hose I.D.	Thread
34-JC003-0604	3/8	1/4 NPT
34-JC003-0606	3/8	3/8 NPT
34-JC003-0608	3/8	1/2 NPT
34-JC003-0806	1/2	3/8 NPT
34-JC003-0808	1/2	1/2 NPT








Code	Hose I.D.	SAE
34-JC010-06S06	3/8	3/8
34-JC010-08S08	1/2	1/2



Hose x Female ABS Thread

Code	Hose I.D.	ABS
34-JC010-06A06	3/8	3/8
34-JC010-08A06	1/2	3/8
34-JC010-08A08	1/2	1/2







Code	Hose I.D.	Thread
34-JC003S-0606	3/8	3/8 NPT

Hose I.D.

3/8

1/2