CENTRAL LUBRICATION TUBE & FITTINGS (Category 56)

HIGH PRESSURE 4mm & 6mm NYLON TUBE

- Conforms to European standard DIN 73378
- Working Pressure: 1230psi (3:1 Safety Factor)
- Operating Temperature: -60°C to +80°C



Code	Description	Coil Length
56-NM04-050	4x0.85mm Polyamide Tube	50m
56-NM06-025	6x1.5mm Polyamide Tube	25m
56-NM06-100	6x1.5mm Polyamide Tube	100m
56-NMF06-025	6x1.5mm Grease Filled Polyamide Tube	25m
56-NMF06-100	6x1.5mm Grease Filled Polyamide Tube	100m

Purchasing grease filled tube over empty tube is recommended. It is more convenient to use, saves time and eliminates the risk of rupturing empty tube when filling. It is recommended that when filling empty grease tube that a progressive divider block is used and several lines are filled simultaneously. This will reduce the risk of over pressurising the line, resulting in a rupture. When filling 100m rolls of tube it is recommended that flow grease is used.

TUBE COMPRESSION FITTINGS

- Material: Steel (Galvanised) or Stainless Steel
- Working Pressure: 3625psi (250 Bar)



Tube Olive

Tube	Code - Steel	Code - Stainless Steel
4LL	56-M001-04	
6LL	56-M001-06	56-SM001-06
6L	56-M001L-06	



Tube Nut

Tube	Code - Steel	Code - Stainless Steel
4LL	56-M002-04	
6LL	56-M002-06	56-SM002-06
6L	56-M002L-06	



Male Connector Straight

Tube	Male	Code - Steel	Code - Stainless Steel
4LL	1/8 BSPT	56-M003-0402	
4LL	M6x1	56-M003-04M06	
4LL	M8x1	56-M003-04M08	
4LL	M10x1	56-M003-04M10	
6LL	1/8 BSPT	56-M003-0602	56-SM003-0602
6LL	M6x1	56-M003-06M06	56-SM003-06M06
6LL	M8x1	56-M003-06M08	56-SM003-06M08
6LL	M10x1	56-M003-06M10	56-SM003-06M10
6LL	1/4 UNF	56-M003-06U04	



Straight Joiner

Tube	Code - Steel	Code - Stainless Steel
4LL	56-M004-04	
6LL	56-M004-06	56-SM004-06



Tube Elbow

Tube	Code - Steel
6LL	56-M011-06



Male Elbow Connector

Tube	Male	Code - Steel	Code - Stainless Steel
4LL	1/8 BSPT	56-M005-0402	
4LL	M6x1	56-M005-04M06	
4LL	M8x1	56-M005-04M08	
4LL	M10x1	56-M005-04M10	
6LL	1/8 BSPT	56-M005-0602	56-SM005-0602
6LL	M6x1	56-M005-06M06	56-SM005-06M06
6LL	M8x1	56-M005-06M08	56-SM005-06M08
6LL	M10x1	56-M005-06M10	56-SM005-06M10
6LL	1/4 UNF	56-M005-06U04	



Male 90º Banjo Connector

Tube	Male	Code - Steel
6LL	1/8 BSPT	56-M005U-0602
6LL	M10x1	56-M005U-06M10



Tube to Tube Bulkhead Elbow

Tube	Code - Steel
6L	56-M011BH-06



Tube Tee

Tube	Code - Steel
4LL	56-M014-04
6LL	56-M014-06



Tube Bulkhead

Tube	Code - Steel
6L	56-M031-06



Tube to Female Bulkhead

Tube	Female	Code - Steel
6L	M6x1	56-M031F-06M06



Tube to Nipple Bulkhead

Tube	Male	Code - Steel
6L	G/Nip	56-M031F-06GN

CENTRAL LUBRICATION TUBE & FITTINGS (Category 56)

TUBE PUSH-IN FITTINGS

- Material: Nickel Plated Brass
- Working Pressure: 1160psi (80 Bar)



Male Connector Straight

Tube	Male	Code
4mm	1/8 BSPT	56-PM003-0402
4mm	M6x1	56-PM003-04M06
6mm	1/8 BSPT	56-PM003-0602
6mm	M6x1	56-PM003-06M06
6mm	M8x1	56-PM003-06M08
6mm	M10x1	56-PM003-06M10
6mm	1/4 UNF	56-PM003-06U04



Straight Joiner

Tube	Code
4mm	56-PM004-04
6mm	56-PM004-06



Elbow Joiner

Tube	Code
4mm	56-PM011-04
6mm	56-PM011-06



Fixed Male Elbow Connector

Tube	Male	Code
6mm	1/8 BSPT	56-PM005-0602
6mm	M6x1	56-PM005-06M06
6mm	M8x1	56-PM005-06M08
6mm	M10x1	56-PM005-06M10



Swivel Male Elbow Connector

Tube	Male	Code
4mm	1/8 BSPT	56-PM005S-0402
4mm	M6x1	56-PM005S-04M06
6mm	1/8 BSPT	56-PM005S-0602
6mm	M6x1	56-PM005S-06M06
6mm	M8x1	56-PM005S-06M08
6mm	M10x1	56-PM005S-06M10



Tee Joiner

Tube	Code
4mm	56-PM014-04
6mm	56-PM014-06

HIGH PRESSURE HOSE 8.6mm O.D.

- Nylon inner tube, polyester reinforcing, polyurethane outer cover
- Working Pressure: 3090psi (4:1 Safety Factor)
- Operating Temperature: -40°C to +80°C



Code	Description	Coil Length
56-H08-10	8.6mm OD High Pressure Hose	10m
56-H08-50	8.6mm OD High Pressure Hose	50m
56-HF08-10	8.6mm OD Grease Filled High Pressure Hose	10m
56-HF08-50	8.6mm OD Grease Filled High Pressure Hose	50m

The sleeve and stand pipe are used in conjunction with the 8.6mm high pressure hose.

The compression fittings listed on the previous page or the push in fittings shown above can then be attached to the stand pipe to complete the connection.

STAND PIPE FITTINGS TO SUIT 6mm COMPRESSION FITTINGS



Hose Sleeve

Code - Steel	Code - Stainless Steel
56-HSL	56-HSLSS



Hose End 90º

Length	Code - Steel	Code - Stainless Steel
21mm	56-HSE-21	
33mm	56-HSE-33	
37mm	56-HSE-37	56-HSE-37SS
53mm	56-HSE-53	




Hose End Female

Female	Code - Steel
7/16 JIC	56-HSS-J07



Hose End Straight

Length	Code - Steel	Code - Stainless Steel
20mm	56-HSS-20	
24mm	56-HSS-24	
30mm	56-HSS-30	56-HSS-30SS



Hose End 45º

Code - Steel	Code - Stainless Steel
56-HSE45	56-HSE45SS



Hose End Female 90º

Female	Code - Steel
7/16 JIC	56-HSE-J07

CENTRAL LUBRICATION TUBE & FITTINGS (Category 56)

STAND PIPE FITTINGS TO SUIT 6mm PUSH-IN FITTINGS

Hose End Straight



Length	Code - Steel
20mm	56-PHSS-20
30mm	56-PHSS-30

Hose End 90º



Length	Code - Steel
37mm	56-PHSE-37
53mm	56-PHSE-53

Hose End 45º



Length	Code - Steel
15mm	56-PHS45-15
25mm	56-PHS45-25

THREADED ADAPTORS



90º Male / Female Elbow

Female	Male	Code Steel	Code Stainless Steel
1/8 BSP	1/8 BSPT	5625-0202	56S25-0202
1/8 BSP	1/4 UNF	5625-02U04	
M6x1	M6x1	5625-M06M06	
M8x1	1/8 BSPT	5625-M0802	
M8x1	M6x1	5625-M08M06	
M8x1	M8x1	5625-M08M08	
M10x1	M6x1	5625-M10M06	
M10x1	M8x1	5625-M10M08	
M10x1	M10x1	5625-M10M10	56S25-M10M10



45º Male / Female Elbow

Female	Male	Code Steel	Code Stainless Steel
1/8 BSP	1/8 BSPT	5625D-0202	56S25D-0202
1/8 BSP	M6x1	5625D-02M06	
M8x1	M6x1	5625D-M08M06	
M8x1	M8x1	5625D-M08M08	
M8x1	M10x1	5625D-M08M10	
M10x1	M10x1	5625D-M10M10	56S25D-M10M10



Brass 90º Male / Female Banjo

Female	Male	Code Brass
M10x1	M10x1	5625B-M10M10

Female also accepts adjacent 6mm compression nut and olive



Male / Female Adaptor

Female	Male	Code Steel
1/8 BSP	M6x1	5672-02M06
1/8 BSP	M8x1	5672-02M08
1/8 BSP	1/4 UNF	5672-02U04
M6x1	M6x1	5672-M06M06
M8x1	1/8 BSPT	5672-M0802
M8x1	M6x1	5672-M08M06
M10x1	1/8 BSPT	5672-M1002
M10x1	1/4 BSPT	5672-M1004
M10x1	M6x1	5672-M10M06
M10x1	M8x1	5672-M10M08
M10x1	M10x1	5672-M10M10



Long M&F Adaptor

Female	Male	Length	Code Steel
1/8 BSP	1/8 BSPT	23mm	5672L-020223
1/8 BSP	1/8 BSPT	35mm	5672L-020235
1/8 BSP	1/8 BSPT	50mm	5672L-020250
1/4 BSP	1/8 BSPT	22mm	5672L-040222
M6x1	M6x1	57.5mm	5672L-M06M0657
M8x1	M8x1	32mm	5672L-M08M0832
M10x1	M10x1	35mm	5672L-M10M1035
M10x1	M10x1	50mm	5672L-M10M1050

6mm Double Coned Olive



Code : 56-501-06

6mm Compression Tube Nut



Code : 56-502-06

CENTRAL LUBRICATION TUBE & FITTINGS (Category 56)

CHECK VALVES

For distribution blocks of automated lubrication systems



6mm tube x M10-1 Male coned. Suits Bekamax MX-F Dividers

Code : 56-NRV-M10C



6mm tube x 1/8 BSPT Male. Suits SKF VPKG Metering Devices

Code : 56-NRV-02

STEEL MANIFOLD BLOCKS

- T Drilled for different inlet and outlet configurations
- 25mm sqare steel bodies
- 1/8bsp Ports
- One blanking plug supplied per outlet
- 2 x 6.5mm Mounting holes
- 22mm between port centres



Code	Thread	Ports	Length
56-MB02	1/8 BSP	2	60mm
56-MB03	1/8 BSP	3	84mm
56-MB04	1/8 BSP	4	106mm
56-MB05	1/8 BSP	5	128mm
56-MB06	1/8 BSP	6	150mm
56-MB08	1/8 BSP	8	195mm

Manifold Block Blanking Plugs



Code	Thread
5664-02	1/8 BSP

GREASE GUN ACCESSORIES (Category 56)

Flexible Grease Gun Extensions



Single Wire Braid
1/8 BSP Male

Code	Length
56-GGE08	8"
56-GGE10	10"
56-GGE12	12"
56-GGE15	15"
56-GGE18	18"
56-GGE24	24"
56-GGE28	28"

Rigid Grease Gun Extension



1/8 BSP Male

Code	Description
56-GGER	Bent pipe c/w Locknut

Grease Gun Couplers

1/8 BSP Female



Code	Description
56-GGC14	Slimline. 14mm Dia. 3 Jaw.
56-GGC16	Standard. 16mm Dia. 4 Jaw.
56-GGC18	Heavy Duty. 18mm Dia.



Refer to Category 54 for Grease Nipples