

BLOWGUNS (Category 7)

224 Series Blowguns

1/4 BSP Brass Inlet

Heavy Duty Blue Plastic Body

Display box available when purchasing 07-BG224 in lots of 10

Code	Nozzle
07-BG224	Standard 100mm
07-BG224L	Extended 325mm
07-BG224LL	Extended 500mm

600 Series Blowguns

Adjustable Nozzle

1/4 BSP

1/4 BSP

Code
07-BG600

- Heavy duty metal blowgun.
- Standard 100mm nozzle plus flow control nozzle.
- 1/4 BSP Top and Bottom Inlets.

Code
07-BG620

Top Lever Metal Blowguns with Rubber Tipped Nozzle

- Heavy Duty Metal Construction
- 100mm nozzle
- 1/4 BSP Inlet

PCL

Conical Nozzle Blowgun with Rubber Tip

- Suitable for Air and Water
- Trigger Adjustable Airflow
- 1/4 BSP Inlet

Code
07-BG5002

48"

Code
07-BG5113-48

- 48" Long Nozzle
- Heavy Duty Metal Construction
- 1/4 BSP Inlet

BLOWGUNS (Category 7)


Jamec Blowguns

Airmaster Range

1/4 BSP Brass Inlets.
Plastic Body

07-BGJ774

Code	Description
07-BGJ766	35" Nozzle
07-BGJ771	Conical Nozzle
07-BGJ774	18" Nozzle
07-BGJ780	Safe-n-Quiet Nozzle



07-BGJ780

07-BGJ771


07-BGJ766

Power Range

07-BGJ600

Code	Description
07-BGJ600	85mm Angled Nozzle.
07-BGJ608	18" Nozzle
07-BGJ610	Conical Nozzle

1/4 BSP Inlets.
All Metal Body




07-BGJ610

07-BGJ608

Spare Nozzles for Airmaster & Power Range

Code	Description
07-BGJ602	85mm Angled Nozzle.
07-BGJ609	18" Nozzle
07-BGJ619	35" Nozzle
07-BGJ781	Safe-n-Quiet Nozzle



07-BGJ602

07-BGJ609

07-BGJ619

07-BGJ781

BLOWGUNS (Category 7)

Jamec Blowguns



07-BGJ640

- Dustmaster Pistol Grip**
- 1/4 BSP Brass Inlet
 - All Metal Body



07-BGJ700

- Water Dispenser**
- 1/4 BSP Inlet
 - Dispenses 10 litres of water per minute at 60PSI

Jamec Brass Blowguns


Code	Description
07-BGJ411	411 Short Nose Blowgun
07-BGJ412	412 Long Nose Blowgun



1/4 BSP Inlets



Legris Safety Blowgun



07-BG654

When in close proximity to an obstacle, the pressure falls rapidly, restricting pressure to 0.5 bar.

Custom Blowgun Kits



- Available with quick couplers or threaded hose ends.
- Available with PVC hose, Polyurethane spiral hoses or nylon self sore hose.
- Contact the office for your requirements.



Also have a large range of quick disconnect couplers suitable for air applications and tyre inflation equipment. Refer to Category 8 or contact the sales office for more information.



BLOWGUNS (Category 7)

Wondergun - Air Blower and Vacuum Gun Kit



Code : 07-WG5005


- Air Vacuum for Workshop, Car, Boat or Home
- Solid metal Air Blower for Workshop
- 3 Different Attachable Nozzles

NOZZLES AND WASHDOWN GUNS (Category 7)




3/4 Fire Hose Reel Nozzle

Code : 07-FHRN12




Brass Fire Hose Nozzles

Code	Female
07-BFN16	1" BSP
07-BFN24	1.1/2 BSP



Plastic Fire Hose Nozzles

Code	Female
07-PJN025	1" BSP
07-PJN038	1.1/2 BSP



Brass Fixed Fire Hose Nozzles

Code	Male
07-BN08	1/2 BSPT
07-BN12	3/4 BSPT



Brass Fire Nozzle to suit 3/4 Garden Hose Couplers

Code : 07-FN12



Insulated Water Nozzle 3/4 BSP Female

Code : 07-SN75



Original Dinga Hot Wash Gun

- Max Temperature: 80°C
- Working Pressure: 25bar (360psi)
- Water Flow: 25litres per min @ 5bar
- 1/2" BSP port size

Code: 07-DINGA

The German made DINGA hot wash gun is an extremely tough and durable water saving gun thanks to its high quality brass and stainless steel construction. It's rubber jacket protects the gun against shock, heat and cold conditions. It is also resistant to acidic and alkaline fluids.

The desired jet strength can be adjusted continuously from a fine spray mist to a concentrated jet.

SPARE PARTS AVAILABLE	
Code	Description
07-DPS	Rubber Protection Sleeve
07-DH	Rubber Handle
07-DJET	Nozzle Jet
07-DBOLT	Valve Bolt
07-DSPRING	Spring

TYRE INFLATORS (Category 7)

PCL MK4 TYRE INFLATOR



Code : 07-PCLMK4

The new AIRFORCE® MK4 Tyre Inflator is as robust as ever and highly accurate, offering leading inflation and deflation rates and high performance for both indoor and outdoor applications. Meanwhile the redesigned piston and seal arrangement means increased accuracy - cycle tests now give over 400,000 inflation cycles at 100% accuracy - over 50% more than previously!

By increasing the size of the viewing window to give a 20% larger field of view, and altering the graphic print to give a clearer scale reading the new gauge is even more user friendly.

With a new, modern slim line body design the gauge is now lighter yet more ergonomic to give increased comfort in use.

Digital Tyre Inflator



- Non Sealing Tyre Inflator
- Digital gauge measuring kpa, bar and psi

Code : 07-TI201D

Jamec Bar Style Inflator



Code : 07-TI100

- Pressed steel operating lever
- Stainless steel spring
- Aluminium reader bar

PCL Single Barrel Foot Pump



Code : 07-FP4H02/3

- Steel construction for added strength
- Anti corrosive finish
- Barrel pressure sealed to prevent leakage
- Gauge calibrated 0-100 psi and 0-7 bar

Jamec Dial Gauge Inflator



Code : 07-TI135

- 50mm gauge
- Clip on chuck

PCL 4 in 1 Tyre Valve Tool

- Manufactured from case-hardened mild steel
- Zinc-plated finish

Code : 07-TVT05



This versatile 4-in-1 tool offers these functions:

1. Rethread the external part of the valve stem
2. Rethread the inside of the valve stem
3. Remove the valve core
4. Extract a damaged valve core

TYRE CHUCKS (Category 7)



Clip on Non-sealing chuck with 1/4 Hosetail

Code	Type
07-TC292	Standard Bore
07-TC294	Large Bore



Clip on angled chuck. 1/4 BSP Female

Code	Type
07-TC301	Sealing
07-TC460	Non Sealing



Straight Clip on chuck. 1/4 BSP Female

Code	Type
07-TC446	Sealing
07-TC447	Non Sealing



Hold on sealing angled chuck. 1/4 BSP Female

Code : 07-TC300



Clip on sealing sleeve type chuck. 1/4 NPT Female

Code : 07-TC340



Large Bore Clip on chuck. 1/4 BSP Female

Code	Type
07-TC498	Sealing
07-TC497	Non Sealing



Hold on dual chuck. 1/4 BSP Female With Rubber Handle

Code	Type
07-TC302	Sealing
07-TC465	Non Sealing



Hold on sealing dual chuck. 1/4 BSP Female

Code : 07-TC304



Clip on sealing dual chuck. 1/4 BSP Female with Rubber Handle

Code : 07-TC303

A sealing chuck is used when air is supplied directly from the air line to the tyre valve. A non-return valve unseats on connection allowing air to flow and re-seals on disconnection

A non sealing chuck is used with tyre inflators and gauges that have their own internal valve.

TYRE GAUGES (Category 7)



- 50mm Face
- 0-60psi Pressure Range
- Housing: Steel
- Ring: Chrome
- Stem with release button

Code	Chuck
07-TG012	Straight
07-TG032	Angled

Truck Tyre Gauge

Code : 07-TG41



- 50mm Face
- 0-160psi Pressure
- Housing: Steel
- Ring: Chrome
- Release button
- NBR Braided Hose
- Dual Chuck

Long Reach Truck Tyre Gauge



Code : 07-TG40

Maximum Pressure : 150psi / 1000kpa