



DBF Stainless Fittings

INDEX

SWAGE AND PUSH-ON HOSE TAILS					
Description	Swage	Push-On	Description	Swage	Push-On
Straight Joiner	Page 3	Page 8	JIC Male Straight	Page 5	Page 8
BSPT Male Straight	Page 3	Page 8	JIC Female Straight	Page 5	Page 8
BSPP Male Straight	Page 3		JIC Female 90° Compact	Page 5	
BSPP Female Straight	Page 3	Page 8	JIC Female 90° Swept	Page 5	Page 8
BSPP Female 90° Compact	Page 3		JIC Female 45° Compact	Page 5	
BSPP Female 45° Compact	Page 3		JIC Female 45° Swept	Page 5	Page 8
BSPP Female 90° Swept	Page 3	Page 8	UNO Straight	Page 5	
BSPP Female 45° Swept	Page 4	Page 8	Metric Din Light Straight	Page 6	
BSPP Female Flatface	Page 4		Metric Din Heavy Straight	Page 6	
NPSM Female Straight	Page 4		Metric Din Light 90° Swept	Page 6	
NPT Male Straight	Page 4		Metric Din Heavy 90° Swept	Page 6	
C61 OR Flange Straight	Page 4		Stand Pipe Imperial Straight	Page 6	
C61 OR Flange 90° Swept	Page 4		Stand Pipe Metric Straight	Page 6	
C62 OR Flange Straight	Page 4		ORFS Straight	Page 6	
C62 OR Flange 90° Swept	Page 4		ORFS 90° Swept	Page 6	

Plugs & Caps	
Description	Page
BSPP Male	11
BSPT Male	14
JIC Male	18
NPT Male	19
UNO Male	19
BSPP Fem Swiv	11
JIC Fem Swiv	18
NPT Female	19

Other	
Description	Page
Nut & Sleeve	19
Bonded Seals	19

Ferrules	
Page 7	

ADAPTORS				
Description	Straight	Elbow 90°	Elbow 45°	Tee
BSPP Male	Page 9			
BSPP Male x BSPP Female Swivel	Page 9			
BSPP Male x BSPT Male	Page 9			
BSPP Male x BSPP Male Bulkhead	Page 9			
BSPP Male x BSPP Female Fixed	Page 9			
BSPP Male x JIC Male	Page 10			
BSPP Male x NPT Male	Page 10			
BSPP Male x Standpipe Imperial	Page 10			
BSPP Male x Tubeweld Imperial	Page 10			
BSPP Male x UNO Male	Page 10			
BSPP Female Swivel x BSPT Male	Page 11	Page 11	Page 11	Page 14
BSPP Female Swivel x Tubeweld Imperial	Page 11			
BSPT Male	Page 11	Page 13	Page 13	Page 14
BSPT Male x BSPT Female	Page 12	Page 13		
BSPT Male x JIC Male	Page 12	Page 13	Page 13	
BSPT Male x JIC Female Swivel	Page 12			
BSPT Male x Metric DIN Light Male	Page 12			
BSPT Male x Metric DIN Heavy Male	Page 12			
BSPT Male x Tubeweld Imperial	Page 13			
BSPT Male x UNO Male	Page 13			
BSPT Female	Page 14	Page 14	Page 14	Page 14
BSPP Male Positional x JIC Male		Page 14		
JIC Male	Page 15	Page 15		Page 17
JIC Male x JIC Male Bulkhead	Page 16			
JIC Male x JIC Female Swivel	Page 15	Page 15	Page 17	Page 17
JIC Male x NPT Male	Page 15	Page 16	Page 17	
JIC Male x Standpipe Imperial	Page 16			
JIC Male x Tubeweld Imperial	Page 16			
JIC Male x UNO Male	Page 16			
JIC Male x UNO Male Positional		Page 17		
JIC Female Swivel x NPT Male	Page 17			
JIC Female Swivel x Tubeweld Imperial	Page 17			
Metric DIN Light Male x UNO Male	Page 18			
Metric DIN Heavy Male x UNO Male	Page 18			
NPT Male	Page 18			
NPT Male x NPT Female	Page 18			
NPT Male x NPSM Female Swivel	Page 19			
NPT Female	Page 19			Page 19



DBF Stainless Fittings

Part Numbering System

Lowest Alpha-Numeric Designation is always at END One

S

1

B1 J1

08 12

END ONE END TWO

MATERIAL

S=Stainless

SHAPE

1=Straight
2=Compact 90
3=Compact 45
4=Swept 90
5=Swept 45
6=Plug/Cap
7=Tee
8=Cross
9=Nut

W=Single Olive
X=Double Olive
Y=Flange Clamp
Z=37° Flare Tube Fitting

END TYPE

A1=Hose Tail Field Replaceable
A2=Hose Tail Crimp
A3=Hose Tail Push On
A4=Hose Tail Low Pressure
B1=BSPP Male
B2=BSPP Female Swivel Nut
B3=BSPT Male
B4=BSPT Female Tapped Hole
B5=BSPP Bulkhead
B6=BSPP Positional Male
B7=BSPP Female Tapped Hole
B8=BSPP Flat Face Swivel Nut
B9=BSPT Male Swivel
BW=Butt Weld
C1=Code 61 SAE O'Ring Flange
C2=Code 62 SAE O'Ring Flange
C3=Convolutod
C4=Compression
J1=JIC Male
J2=JIC Bulkhead
J3=JIC Female Swivel Nut
J4=JIS BSPP Inverted Male
J5=JIS BSPP Inverted Female Swivel Nut
M1=Metric Male DIN Light
M2=Metric Female DIN Light Swivel Nut
M3=Metric Male DIN Heavy
M4=Metric Female DIN Heavy O'Ring
M5=Metric Female DIN Heavy Swivel Nut
M6=Metric Male Komatsu
M7=Metric Female Komatsu
N1=NPT Male
N2=NPT Female Tapped Hole
N3=NPSM Female Swivel Nut
O1=ORFS Male
O2=ORFS Female
S1=SAE Male
S2=SAE Female Swivel Nut
S3=Socket Weld
S4=Stand Pipe Imperial
S5=Stand Pipe Metric
S6=Staple lock Male
T1=Tube Weld Female Imperial
T2=Tube Weld Female Metric
U1=UN O'Ring Male
U2=UN O'Ring Male Positional

SIZE

01=1/16
02=1/8
03=3/16
04=1/4
05=5/16
06=3/8
07=7/16
08=1/2
09=9/16
10=5/8
12=3/4
14=7/8
16=1"
17=1.1/16
19=1.3/16
20=1.1/4
21=1.5/16
24=1.1/2
26=1.5/8
30=1.7/8
32=2"
40=2.1/2
48=3"
64=4"
80=5"

All JIC Sizes in this catalogue are the actual thread size. If you use the tube size or JIC Dash Size when referring to JIC threads, please use the following table as a reference to the thread size.

Tube Size	JIC Dash Size	Thread
3/16	-3	3/8" x 24 TPI
1/4	-4	7/16" x 20 TPI
5/16	-5	1/2" x 20 TPI
3/8	-6	9/16" x 18 TPI
1/2	-8	3/4" x 16 TPI
5/8	-10	7/8" x 14 TPI
3/4	-12	1-1/16" x 12 TPI
7/8	-14	1-3/16" x 12 TPI
1"	-16	1-5/16" x 12 TPI
1.1/4	-20	1-5/8" x 12 TPI
1.1/2	-24	1-7/8" x 12 TPI
2"	-32	2-1/2" x 12 TPI
2.1/2	-40	3" x 12 TPI



DBF Stainless Fittings


Swage Hosetails

Straight Joiner




Code	Tail
S1A2A20404	1/4
S1A2A20606	3/8
S1A2A20808	1/2
S1A2A21010	5/8
S1A2A21212	3/4
S1A2A21616	1"
S1A2A22020	1.1/4
S1A2A22424	1.1/2
S1A2A23232	2"

BSPP Male Straight




Code	Tail	BSPP
S1A2B10402	1/4	1/8
S1A2B10404	1/4	1/4
S1A2B10606	3/8	3/8
S1A2B10808	1/2	1/2
S1A2B11212	3/4	3/4
S1A2B11616	1"	1"
S1A2B12020	1.1/4	1.1/4
S1A2B12424	1.1/2	1.1/2
S1A2B13232	2"	2"

BSP Female 90° Compact




Code	Tail	BSPP
S2A2B20404	1/4	1/4
S2A2B20606	3/8	3/8
S2A2B20608	3/8	1/2
S2A2B20806	1/2	3/8
S2A2B20808	1/2	1/2
S2A2B21212	3/4	3/4
S2A2B21616	1"	1"
S2A2B22020	1.1/4	1.1/4
S2A2B22424	1.1/2	1.1/2

BSPT Male Straight




Code	Tail	BSPT
S1A2B30402	1/4	1/8
S1A2B30404	1/4	1/4
S1A2B30406	1/4	3/8
S1A2B30602	3/8	1/8
S1A2B30604	3/8	1/4
S1A2B30606	3/8	3/8
S1A2B30608	3/8	1/2
S1A2B30804	1/2	1/4
S1A2B30806	1/2	3/8
S1A2B30808	1/2	1/2
S1A2B30812	1/2	3/4
S1A2B30816	1/2	1"
S1A2B31008	5/8	1/2
S1A2B31208	3/4	1/2
S1A2B31212	3/4	3/4
S1A2B31216	3/4	1"
S1A2B31608	1"	1/2
S1A2B31612	1"	3/4
S1A2B31616	1"	1"
S1A2B32016	1.1/4	1"
S1A2B32020	1.1/4	1.1/4
S1A2B32424	1.1/2	1.1/2
S1A2B33232	2"	2"
S1A2B34040	2.1/2	2.1/2
S1A2B34848	3"	3"

BSP Female Straight




Code	Tail	BSPP
S1A2B20402	1/4	1/8
S1A2B20404	1/4	1/4
S1A2B20406	1/4	3/8
S1A2B20604	3/8	1/4
S1A2B20606	3/8	3/8
S1A2B20608	3/8	1/2
S1A2B20804	1/2	1/4
S1A2B20806	1/2	3/8
S1A2B20808	1/2	1/2
S1A2B20812	1/2	3/4
S1A2B21008	5/8	1/2
S1A2B21012	5/8	3/4
S1A2B21208	3/4	1/2
S1A2B21212	3/4	3/4
S1A2B21216	3/4	1"
S1A2B21612	1"	3/4
S1A2B21616	1"	1"
S1A2B21620	1"	1.1/4
S1A2B22020	1.1/4	1.1/4
S1A2B22024	1.1/4	1.1/2
S1A2B22424	1.1/2	1.1/2
S1A2B23232	2"	2"
S1A2B24040	2.1/2	2.1/2
S1A2B24848	3"	3"

BSP Female 45° Compact



Code	Tail	BSPP
S3A2B20404	1/4	1/4
S3A2B20606	3/8	3/8
S3A2B21212	3/4	3/4

BSP Female 90° Swept




Code	Tail	BSPP
S4A2B20404	1/4	1/4
S4A2B20406	1/4	3/8
S4A2B20606	3/8	3/8
S4A2B20608	3/8	1/2
S4A2B20808	1/2	1/2
S4A2B21212	3/4	3/4
S4A2B21616	1"	1"
S4A2B22020	1.1/4	1.1/4
S4A2B22424	1.1/2	1.1/2
S4A2B23232	2"	2"



DBF Stainless Fittings


Swage Hosetails

BSP Female 45° Swept



Code	Tail	BSP
S5A2B20404	1/4	1/4
S5A2B20606	3/8	3/8
S5A2B20808	1/2	1/2
S5A2B21212	3/4	3/4
S5A2B21616	1"	1"
S5A2B22020	1.1/4	1.1/4
S5A2B22424	1.1/2	1.1/2
S5A2B23232	2"	2"

BSP Female Flatface




Code	Tail	BSP
S1A2B80404	1/4	1/4
S1A2B80606	3/8	3/8
S1A2B80608	3/8	1/2
S1A2B80808	1/2	1/2
S1A2B80812	1/2	3/4
S1A2B81212	3/4	3/4
S1A2B81616	1"	1"

NPSM Female Straight




Code	Tail	NPSM
S1A2N30404	1/4	1/4
S1A2N30604	3/8	1/4
S1A2N30606	3/8	3/8
S1A2N30608	3/8	1/2
S1A2N30808	1/2	1/2
S1A2N31212	3/4	3/4
S1A2N31616	1"	1"
S1A2N32020	1.1/4	1.1/4
S1A2N32424	1.1/2	1.1/2
S1A2N33232	2"	2"

NPT Male Straight




Code	Tail	NPT
S1A2N10402	1/4	1/8
S1A2N10404	1/4	1/4
S1A2N10406	1/4	3/8
S1A2N10604	3/8	1/4
S1A2N10606	3/8	3/8
S1A2N10608	3/8	1/2
S1A2N10806	1/2	3/8
S1A2N10808	1/2	1/2
S1A2N10812	1/2	3/4
S1A2N11208	3/4	1/2
S1A2N11212	3/4	3/4
S1A2N11216	3/4	1"
S1A2N11612	1"	3/4
S1A2N11616	1"	1"
S1A2N12020	1.1/4	1.1/4
S1A2N12424	1.1/2	1.1/2
S1A2N13232	2"	2"

C61 OR Flange Straight




Code	Tail	Flange
S1A2C10808	1/2	1/2
S1A2C10812	1/2	3/4
S1A2C11212	3/4	3/4
S1A2C11216	3/4	1"
S1A2C11616	1"	1"
S1A2C11620	1"	1.1/4
S1A2C12020	1.1/4	1.1/4
S1A2C12024	1.1/4	1.1/2
S1A2C12420	1.1/2	1.1/4
S1A2C12424	1.1/2	1.1/2
S1A2C12432	1.1/2	2"
S1A2C13232	2"	2"
S1A2C13240	2"	2.1/2
S1A2C14040	2.1/2	2.1/2

C61 OR Flange 90° Swept




Code	Tail	Flange
S4A2C11212	3/4	3/4
S4A2C11216	3/4	1"
S4A2C11616	1"	1"
S4A2C11620	1"	1.1/4
S4A2C12020	1.1/4	1.1/4
S4A2C12424	1.1/2	1.1/2
S4A2C12432	1.1/2	2"
S4A2C13232	2"	2"
S4A2C13240	2"	2.1/2
S4A2C14040	2.1/2	2.1/2

C62 OR Flange Straight



Code	Tail	Flange
S1A2C21216	3/4	1"
S1A2C21616	1"	1"
S1A2C21620	1"	1.1/4
S1A2C22020	1.1/4	1.1/4
S1A2C22424	1.1/2	1.1/2
S1A2C23232	2"	2"

C62 OR Flange 90° Swept




Code	Tail	Flange
S4A2C21212	3/4	3/4
S4A2C21216	3/4	1"
S4A2C21612	1"	3/4
S4A2C21616	1"	1"
S4A2C21620	1"	1.1/4
S4A2C22020	1.1/4	1.1/4
S4A2C22424	2"	2"



DBF Stainless Fittings


Swage Hosetails

JIC Male Straight




Code	Tail	JIC
S1A2J10407	1/4	7/16
S1A2J10408	1/4	1/2
S1A2J10409	1/4	9/16
S1A2J10607	3/8	7/16
S1A2J10608	3/8	1/2
S1A2J10609	3/8	9/16
S1A2J10612	3/8	3/4
S1A2J10812	1/2	3/4
S1A2J10814	1/2	7/8
S1A2J10817	1/2	1.1/16
S1A2J11217	3/4	1.1/16
S1A2J11221	3/4	1.5/16
S1A2J11621	1"	1.5/16
S1A2J12026	1.1/4	1.5/8
S1A2J12430	1.1/2	1.7/8
S1A2J13240	2"	2.1/2

JIC Female Straight




Code	Tail	JIC
S1A2J30407	1/4	7/16
S1A2J30408	1/4	1/2
S1A2J30409	1/4	9/16
S1A2J30607	3/8	7/16
S1A2J30608	3/8	1/2
S1A2J30609	3/8	9/16
S1A2J30610	3/8	5/8
S1A2J30612	3/8	3/4
S1A2J30614	3/8	7/8
S1A2J30809	1/2	9/16
S1A2J30812	1/2	3/4
S1A2J30814	1/2	7/8
S1A2J30817	1/2	1.1/16
S1A2J31014	5/8	7/8
S1A2J31017	5/8	1.1/16
S1A2J31214	3/4	7/8
S1A2J31217	3/4	1.1/16
S1A2J31221	3/4	1.5/16
S1A2J31621	1"	1.5/16
S1A2J31626	1"	1.5/8
S1A2J32026	1.1/4	1.5/8
S1A2J32430	1.1/2	1.7/8
S1A2J33240	2"	2.1/2
S1A2J34048	2.1/2	3"

JIC Female 90° Compact



Code	Tail	JIC
S2A2J30407	1/4	7/16
S2A2J30408	1/4	1/2
S2A2J30409	1/4	9/16
S2A2J30609	3/8	9/16
S2A2J30612	3/8	3/4
S2A2J30812	1/2	3/4
S2A2J30814	1/2	7/8
S2A2J30817	1/2	1.1/16
S2A2J31217	3/4	1.1/16
S2A2J31621	1"	1.5/16
S2A2J32026	1.1/4	1.5/8

JIC Female 90° Swept




Code	Tail	JIC
S4A2J30407	1/4	7/16
S4A2J30408	1/4	1/2
S4A2J30409	1/4	9/16
S4A2J30607	3/8	7/16
S4A2J30608	3/8	1/2
S4A2J30609	3/8	9/16
S4A2J30612	3/8	3/4
S4A2J30812	1/2	3/4
S4A2J30814	1/2	7/8
S4A2J30817	1/2	1.1/16
S4A2J31014	5/8	7/8
S4A2J31214	3/4	7/8
S4A2J31217	3/4	1.1/16
S4A2J31221	3/4	1.5/16
S4A2J31621	1"	1.5/16
S4A2J32026	1.1/4	1.5/8
S4A2J32430	1.1/2	1.7/8
S4A2J33240	2"	2.1/2

JIC Female 45° Compact




Code	Tail	JIC
S3A2J30407	1/4	7/16
S3A2J30409	1/4	9/16
S3A2J30814	1/2	7/8

JIC Female 45° Swept



Code	Tail	JIC
S5A2J30407	1/4	7/16
S5A2J30408	1/4	1/2
S5A2J30409	1/4	9/16
S5A2J30607	3/8	7/16
S5A2J30608	3/8	1/2
S5A2J30609	3/8	9/16
S5A2J30612	3/8	3/4
S5A2J30812	1/2	3/4
S5A2J30814	1/2	7/8
S5A2J31217	3/4	1.1/16
S5A2J31221	3/4	1.5/16
S5A2J31621	1"	1.5/16
S5A2J32026	1.1/4	1.5/8
S5A2J33240	2"	2.1/2

UNO Straight




Code	Tail	UNO
S1A2U10407	1/4	9/16
S1A2U10409	1/4	11/16
S1A2U10609	3/8	9/16
S1A2U10612	3/8	3/4
S1A2U10808	1/2	1/2
S1A2U10812	1/2	3/4
S1A2U10814	1/2	7/8
S1A2U11214	3/4	7/8
S1A2U11217	3/4	1.1/16
S1A2U11621	1"	1.5/16



DBF Stainless Fittings


Swage Hosetails

Metric DIN Light Straight




Code	Tail	Thread
S1A2M20412	1/4	12x1.5
S1A2M20414	1/4	14x1.5
S1A2M20416	1/4	16x1.5
S1A2M20616	3/8	16x1.5
S1A2M20618	3/8	18x1.5
S1A2M20622	3/8	22x1.5
S1A2M20816	1/2	16x1.5
S1A2M20818	1/2	18x1.5
S1A2M20822	1/2	22x1.5
S1A2M21026	5/8	26x1.5
S1A2M21226	3/4	26x1.5
S1A2M21230	3/4	30x2
S1A2M21236	3/4	36x2
S1A2M21636	1"	36x2
S1A2M22045	1.1/4	45x2
S1A2M22452	1.1/2	52x2

Metric DIN Heavy Straight




Code	Tail	Thread
S1A2M50414	1/4	14x1.5
S1A2M50416	1/4	16x1.5
S1A2M50418	1/4	18x1.5
S1A2M50616	3/8	16x1.5
S1A2M50618	3/8	18x1.5
S1A2M50620	3/8	20x1.5
S1A2M50622	3/8	22x1.5
S1A2M50624	3/8	24x1.5
S1A2M50820	1/2	20x1.5
S1A2M50824	1/2	24x1.5
S1A2M51230	3/4	30x2
S1A2M51236	3/4	36x2
S1A2M51642	1"	42x2
S1A2M52052	1.1/4	52x2

Metric DIN Light 90° Swept




Code	Tail	Thread
S4A2M20616	3/8	16x1.5
S4A2M20618	3/8	18x1.5
S4A2M20818	1/2	18x1.5
S4A2M20822	1/2	22x1.5
S4A2M21230	3/4	30x2
S4A2M21636	1"	36x2

Metric DIN Heavy 90° Swept




Code	Tail	Thread
S4A2M50620	3/8	20x1.5
S4A2M50824	1/2	24x1.5
S4A2M51642	1"	42x2

Stand Pipe Imperial Straight




Code	Tail	Tube
S1A2S40404	1/4	1/4
S1A2S40406	1/4	3/8
S1A2S40604	3/8	1/4
S1A2S40606	3/8	3/8
S1A2S40608	3/8	1/2
S1A2S40808	1/2	1/2
S1A2S41010	5/8	5/8
S1A2S41212	3/4	3/4
S1A2S41616	1"	1"
S1A2S41620	1"	1.1/4
S1A2S42020	1.1/4	1.1/4
S1A2S42024	1.1/4	1.1/2
S1A2S42424	1.1/2	1.1/2
S1A2S43232	2"	2"

Stand Pipe Metric Straight




Code	Tail	Tube
S1A2S50406	1/4	6mm
S1A2S50408	1/4	8mm
S1A2S50410	1/4	10mm
S1A2S50608	3/8	8mm
S1A2S50610	3/8	10mm
S1A2S50612	3/8	12mm
S1A2S50812	1/2	12mm
S1A2S50815	1/2	15mm
S1A2S50816	1/2	16mm
S1A2S50818	1/2	18mm
S1A2S51018	5/8	18mm
S1A2S51020	5/8	20mm
S1A2S51220	3/4	20mm
S1A2S51222	3/4	22mm
S1A2S51225	3/4	25mm
S1A2S51625	1"	25mm
S1A2S51628	1"	28mm
S1A2S51630	1"	30mm

ORFS Straight



Code	Tail	ORFS
S1A2O20409	1/4	9/16
S1A2O20411	1/4	11/16
S1A2O20609	3/8	9/16
S1A2O20611	3/8	11/16
S1A2O20613	3/8	13/16
S1A2O20811	1/2	11/16
S1A2O20813	1/2	13/16
S1A2O20816	1/2	1"
S1A2O21219	3/4	1.3/16

ORFS 90° Swept



Code	Tail	ORFS
S4A2O20811	1/4	9/16
S4A2O20813	1/4	11/16



DBF Stainless Fittings

Swage Ferrules


Caution. Diameters Detailed in this Chart are a Guide only.
Test all Hose Assemblies. Use only 8 Jaw Swaging Machine

Size	Hose	R1T	R2T	R1A	R2A	R7/R8	R12	R14
1/4	Code Swage Dia Skive Lgth	SFN-04 17.2	SFN-04 18.1			SF8-04 16.5		SFT-04 12.9
5/16	Code Swage Dia Skive Lgth							SFT-05
3/8	Code Swage Dia Skive Lgth	SFN-06 21.8	SFN-06 22.4			SF8-06 19.5	SF4-06 23.3 28.0	SFT-06 16.2
1/2	Code Swage Dia Skive Lgth	SFN-08 25.6	SFN-08 26.1			SF8-08 23.4	SF4-08 26.5 27.0	SFT-08 20.6
5/8	Code Swage Dia Skive Lgth	SFN-10 28.5	SFN-10 28.9					SFT-10 23.8
3/4	Code Swage Dia Skive Lgth	SFN-12 32.7	SFN-12 33.4			SF8-12 29.3	SF4-12 32.9 39.0	SFT-12 27.0
1"	Code Swage Dia Skive Lgth	SFN-16 41.9	SFN-16 42.5			SF8-16 38.0	SF4-16 40.4 37.0	SFT-16 33.3
1.1/4	Code Swage Dia Skive Lgth	SFN-20 50.3	SFN-20 52.6	SFS-20 47.5 45.0	SFS-20 51.1 45.0		SF4-20 51.1 52.0	
1.1/2	Code Swage Dia Skive Lgth	SFN-24 57.0	SFN-24 59.4	SFS-24 54.0 50.0	SFS-24 57.4 50.0		SF4-24 57.4 52.0	
2"	Code Swage Dia Skive Lgth	SFN-32 73.2	SFN-32 74.3	SFS-32 68.0 60.0	SFS-32 70.3 60.0		SF4-32 72.4 61.0	

This chart is based on using GATES™ Hose. Be aware other hose suppliers may not have the same dimensional tolerances, but may be within SAE specifications.

HOSE AND FERRULE TYPES		
Type	Description	Ferrule
R1T	1 Wire Non Skive	SFN
R2T	2 Wire Non Skive	SFN
R1A	1 Wire Skive	SFS
R2A	2 Wire Skive	SFS
R7/R8	Thermoplastic	SF8
R12	4 Wire Multi Spiral	SF4
R14	PTFE Tube. Stainless Braid	SFT

Field Replaceable Tails and Ferrules also available.



Call for details.



DBF Stainless Fittings

Push-On Hosetails

BSPT Male Straight



Code	Tail	BSPT
S1A3B30402	1/4	1/8
S1A3B30404	1/4	1/4
S1A3B30406	1/4	3/8
S1A3B30604	3/8	1/4
S1A3B30606	3/8	3/8
S1A3B30608	3/8	1/2
S1A3B30804	1/2	1/4
S1A3B30806	1/2	3/8
S1A3B30808	1/2	1/2
S1A3B30812	1/2	3/4
S1A3B31212	3/4	3/4
S1A3B31616	1"	1"

Note : Some sizes available in NPT
Call the sales office for details.


BSP Female Straight



Code	Tail	BSPP
S1A3B20404	1/4	1/4
S1A3B20406	1/4	3/8
S1A3B20606	3/8	3/8
S1A3B20608	3/8	1/2
S1A3B20808	1/2	1/2
S1A3B21212	3/4	3/4
S1A3B21616	1"	1"


Note : Some sizes available in NPT
Call the sales office for details.

BSP Female 90° Swept




Code	Tail	BSPP
S4A3B20404	1/4	1/4
S4A3B20606	3/8	3/8
S4A3B20808	1/2	1/2
S4A3B21212	3/4	3/4

BSP Female 45° Swept



Code	Tail	BSPP
S5A3B20404	1/4	1/4
S5A3B20606	3/8	3/8
S5A3B20808	1/2	1/2
S5A3B21212	3/4	3/4

JIC Male Straight




Code	Tail	JIC
S1A3J10407	1/4	7/16
S1A3J10408	1/4	1/2
S1A3J10409	1/4	9/16
S1A3J10609	3/8	9/16
S1A3J10612	3/8	3/4
S1A3J10812	1/2	3/4
S1A3J10814	1/2	7/8
S1A3J11217	3/4	1.1/16

JIC Female Straight




Code	Tail	JIC
S1A3J30407	1/4	7/16
S1A3J30408	1/4	1/2
S1A3J30409	1/4	9/16
S1A3J30609	3/8	9/16
S1A3J30612	3/8	3/4
S1A3J30812	1/2	3/4
S1A3J30814	1/2	7/8
S1A3J31217	3/4	1.1/16
S1A3J31621	1"	1.5/16

JIC Female 90° Swept



Code	Tail	JIC
S4A3J30407	1/4	7/16
S4A3J30408	1/4	1/2
S4A3J30409	1/4	9/16
S4A3J30609	3/8	9/16
S4A3J30612	3/8	3/4
S4A3J30812	1/2	3/4
S4A3J30814	1/2	7/8
S4A3J31217	3/4	1.1/16

JIC Female 45° Swept



Code	Tail	JIC
S5A3J30407	1/4	7/16
S5A3J30408	1/4	1/2
S5A3J30409	1/4	9/16
S5A3J30607	3/8	7/16
S5A3J30609	3/8	9/16
S5A3J30612	3/8	3/4
S5A3J30812	1/2	3/4
S5A3J30814	1/2	7/8
S5A3J31217	3/4	1.1/16

Straight Joiner




Code	Tail
S1A3A30404	1/4
S1A3A30606	3/8
S1A3A30808	1/2
S1A3A31212	3/4



DBF Stainless Fittings


Adaptors

BSPP Male x BSPP Male




Code	BSPP	BSPP
S1B1B10202	1/8	1/8
S1B1B10204	1/8	1/4
S1B1B10404	1/4	1/4
S1B1B10406	1/4	3/8
S1B1B10408	1/4	1/2
S1B1B10606	3/8	3/8
S1B1B10608	3/8	1/2
S1B1B10612	3/8	3/4
S1B1B10808	1/2	1/2
S1B1B10812	1/2	3/4
S1B1B10816	1/2	1"
S1B1B10820	1/2	1.1/4
S1B1B11212	3/4	3/4
S1B1B11216	3/4	1"
S1B1B11220	3/4	1.1/4
S1B1B11616	1"	1"
S1B1B11620	1"	1.1/4
S1B1B11624	1"	1.1/2
S1B1B12020	1.1/4	1.1/4
S1B1B12024	1.1/4	1.1/2
S1B1B12032	1.1/4	2"
S1B1B12424	1.1/2	1.1/2
S1B1B12432	1.1/2	2"
S1B1B13232	2"	2"

BSPP Female Swivel x BSPP Male




Code	BSPP	BSPT
S1B1B20404	1/4	1/4
S1B1B20406	1/4	3/8
S1B1B20606	3/8	3/8
S1B1B20808	1/2	1/2
S1B1B21212	3/4	3/4
S1B1B21616	1"	1"
S1B1B22020	1.1/4	1.1/4
S1B1B22424	1.1/2	1.1/2
S1B1B23232	2"	2"

BSPP Male x BSPT Male




Code	BSPP	BSPT
S1B1B30202	1/8	1/8
S1B1B30402	1/8	1/8
S1B1B30404	1/4	1/4
S1B1B30406	1/4	3/8
S1B1B30408	1/4	1/2
S1B1B30604	3/8	1/4
S1B1B30606	3/8	3/8
S1B1B30608	3/8	1/2
S1B1B30612	3/8	3/4
S1B1B30804	1/2	1/4
S1B1B30806	1/2	3/8
S1B1B30808	1/2	1/2
S1B1B30812	1/2	3/4
S1B1B30816	1/2	1"
S1B1B31208	3/4	1/2
S1B1B31212	3/4	3/4
S1B1B31216	3/4	1"
S1B1B31220	3/4	1.1/4
S1B1B31608	1"	1/2
S1B1B31612	1"	3/4
S1B1B31616	1"	1"
S1B1B31620	1"	1.1/4
S1B1B31624	1"	1.1/2
S1B1B32008	1.1/4	1/2
S1B1B32016	1.1/4	1"
S1B1B32020	1.1/4	1.1/4
S1B1B32024	1.1/4	1.1/2
S1B1B32032	1.1/4	2"
S1B1B32416	1.1/2	1"
S1B1B32420	1.1/2	1.1/4
S1B1B32424	1.1/2	1.1/2
S1B1B32432	1.1/2	2"
S1B1B33224	2"	1.1/2
S1B1B33232	2"	2"
S1B1B33240	2"	2.1/2
S1B1B34040	2.1/2	2.1/2

BSPP Male Bulkhead




Code	BSPP	BSPP
S1B1B50404	1/4	1/4
S1B1B50606	3/8	3/8
S1B1B50808	1/2	1/2
S1B1B51212	3/4	3/4
S1B1B51616	1"	1"
S1B1B52020	1.1/4	1.1/4
S1B1B52424	1.1/2	1.1/2
S1B1B53232	2"	2"

BSPP Reducing Bush



Code	BSPP	BSPP
S1B1B70604	3/8	1/4
S1B1B70804	1/2	1/4
S1B1B70806	1/2	3/8
S1B1B71204	3/4	1/4
S1B1B71604	1"	1/4
S1B1B72012	1.1/4	3/4
S1B1B72016	1.1/4	1"
S1B1B72416	1.1/2	1"
S1B1B72420	1.1/2	1.1/4
S1B1B73212	2"	3/4
S1B1B73216	2"	1"

BSPT M&F Adaptor




Code	BSPP	BSPP
S1B1B70404	1/4	1/4
S1B1B70612	3/8	3/4
S1B1B70812	1/2	3/4
S1B1B71212	3/4	3/4
S1B1B71216	1"	1/2



DBF Stainless Fittings


Adaptors

BSPP Male x JIC Male




Code	BSPP	JIC
S1B1J10207	1/8	7/16
S1B1J10209	1/8	9/16
S1B1J10407	1/4	7/16
S1B1J10408	1/4	1/2
S1B1J10409	1/4	9/16
S1B1J10412	1/4	3/4
S1B1J10607	3/8	7/16
S1B1J10608	3/8	1/2
S1B1J10609	3/8	9/16
S1B1J10612	3/8	3/4
S1B1J10614	3/8	7/8
S1B1J10617	3/8	1.1/16
S1B1J10807	1/2	7/16
S1B1J10808	1/2	1/2
S1B1J10809	1/2	9/16
S1B1J10812	1/2	3/4
S1B1J10814	1/2	7/8
S1B1J10817	1/2	1.1/16
S1B1J11209	3/4	9/16
S1B1J11212	3/4	3/4
S1B1J11214	3/4	7/8
S1B1J11217	3/4	1.1/16
S1B1J11221	3/4	1.5/16
S1B1J11612	1"	3/4
S1B1J11617	1"	1.1/16
S1B1J11621	1"	1.5/16
S1B1J11626	1"	1.5/8
S1B1J12017	1.1/4	1.1/16
S1B1J12021	1.1/4	1.5/16
S1B1J12026	1.1/4	1.5/8
S1B1J12030	1.1/4	1.7/8
S1B1J12421	1.1/2	1.5/16
S1B1J12426	1.1/2	1.5/8
S1B1J12430	1.1/2	1.7/8
S1B1J13230	2"	1.7/8
S1B1J13240	2"	2.1/2

BSPP Male x NPT Male




Code	BSPP	NPT
S1B1N10402	1/4	1/8
S1B1N10404	1/4	1/4
S1B1N10604	3/8	1/4
S1B1N10606	3/8	3/8
S1B1N10806	1/2	3/8
S1B1N10808	1/2	1/2
S1B1N10812	1/2	3/4
S1B1N10816	1/2	1"
S1B1N11212	3/4	3/4
S1B1N11612	1"	3/4
S1B1N11616	1"	1"
S1B1N12020	1.1/4	1.1/4
S1B1N12424	1.1/2	1.1/2
S1B1N13232	2"	2"

BSPP Male x Standpipe Imperial




Code	BSPP	Stand
S1B1S40408	1/4	1/2
S1B1S40604	3/8	1/4
S1B1S40808	1/2	1/2
S1B1S40810	1/2	5/8
S1B1S40812	1/2	3/4
S1B1S41612	1"	3/4
S1B1S41616	1"	1"
S1B1S42020	1.1/4	1.1/4

BSPP Male x Tubeweld



Code	BSPP	T/Weld
S1B1T10404	1/4	1/4
S1B1T10606	3/8	3/8
S1B1T10808	1/2	1/2
S1B1T11212	3/4	3/4
S1B1T11616	1"	1"
S1B1T11620	1"	1.1/4
S1B1T11624	1"	1.1/2
S1B1T12020	1.1/4	1.1/4
S1B1T12424	1.1/2	1.1/2
S1B1T13232	2"	2"
S1B1T13240	2"	2.1/2
S1B1T14040	2.1/2	2.1/2

BSPP Male x UNO Male




Code	BSPP	UNO
S1B1U10407	1/4	7/16
S1B1U10408	1/4	1/2
S1B1U10409	1/4	9/16
S1B1U10608	3/8	1/2
S1B1U10609	3/8	9/16
S1B1U10612	3/8	3/4
S1B1U10614	3/8	7/8
S1B1U10617	3/8	1.1/16
S1B1U10809	1/2	9/16
S1B1U10812	1/2	3/4
S1B1U10814	1/2	7/8
S1B1U10817	1/2	1.1/16
S1B1U11212	3/4	3/4
S1B1U11214	3/4	7/8
S1B1U11614	1"	7/8
S1B1U11617	1"	1.1/16
S1B1U11621	1"	1.5/16



DBF Stainless Fittings

Adaptors

BSPP Hex Plug



Code	BSPP
S6B102	1/8
S6B104	1/4
S6B106	3/8
S6B108	1/2
S6B112	3/4
S6B116	1"
S6B120	1.1/4
S6B124	1.1/2
S6B132	2"
S6B140	2.1/2

BSPP Internal Hex Plug




Code	BSPP
S6B102SH	1/8
S6B104SH	1/4
S6B106SH	3/8
S6B108SH	1/2
S6B112SH	3/4
S6B116SH	1"
S6B120SH	1.1/4
S6B124SH	1.1/2
S6B132SH	2"

BSPP Female Swivel x Tubeweld




Code	BSPP	T/Weld
S1B2T10404	1/4	1/4
S1B2T10606	3/8	3/8
S1B2T10608	3/8	1/2
S1B2T10808	1/2	1/2
S1B2T11212	3/4	3/4
S1B2T11616	1"	1"
S1B2T12020	1.1/4	1.1/4
S1B2T12424	1.1/2	1.1/2
S1B2T13232	2"	2"

BSPP Female Swivel x BSPT Male



Code	BSPP	BSPT
S1B2B30202	1/8	1/8
S1B2B30404	1/4	1/4
S1B2B30406	1/4	3/8
S1B2B30408	1/4	1/2
S1B2B30606	3/8	3/8
S1B2B30806	1/2	3/8
S1B2B30808	1/2	1/2
S1B2B30812	1/2	3/4
S1B2B31208	3/4	1/2
S1B2B31212	3/4	3/4
S1B2B31616	1"	1"
S1B2B32020	1.1/4	1.1/4
S1B2B32424	1.1/2	1.1/2
S1B2B33232	2"	2"

BSPP Female Swivel x BSPT Male 90°



Code	BSPP	BSPT
S2B2B30404	1/4	1/4
S2B2B30406	1/4	3/8
S2B2B30606	3/8	3/8
S2B2B30808	1/2	1/2
S2B2B31212	3/4	3/4
S2B2B31616	1"	1"
S2B2B32424	1.1/2	1.1/4

BSPP Female Swivel x BSPT Male 45°




Code	BSPP	BSPT
S3B2B30404	1/4	1/4
S3B2B30808	1/2	1/2
S3B2B31212	3/4	3/4
S3B2B31616	1"	1"
S3B2B32020	1.1/4	1.1/4

BSPP Swivel Cap



Code	BSPP
S6B202	1/8
S6B204	1/4
S6B206	3/8
S6B208	1/2
S6B212	3/4
S6B216	1"
S6B220	1.1/4
S6B224	1.1/2
S6B232	2"

BSPT Male x BSPT Male




Code	BSPT	BSPT
S1B3B30202	1/8	1/8
S1B3B30204	1/8	1/4
S1B3B30206	1/8	3/8
S1B3B30404	1/4	1/4
S1B3B30406	1/4	3/8
S1B3B30408	1/4	1/2
S1B3B30412	1/4	3/4
S1B3B30606	3/8	3/8
S1B3B30608	3/8	1/2
S1B3B30612	3/8	3/4
S1B3B30616	3/8	1"
S1B3B30808	1/2	1/2
S1B3B30812	1/2	3/4
S1B3B30816	1/2	1"
S1B3B31010	5/8	5/8
S1B3B31012	5/8	3/4
S1B3B31212	3/4	3/4
S1B3B31216	3/4	1"
S1B3B31220	3/4	1.1/4
S1B3B31616	1"	1"
S1B3B31620	1"	1.1/4
S1B3B31624	1"	1.1/2
S1B3B31632	1"	2"
S1B3B32020	1.1/4	1.1/4
S1B3B32024	1.1/4	1.1/2
S1B3B32032	1.1/4	2"
S1B3B32424	1.1/2	1.1/2
S1B3B32432	1.1/2	2"
S1B3B33232	2"	2"
S1B3B34040	2.1/2	2.1/2
S1B3B34848	3"	3"
S1B3B36464	4"	4"



DBF Stainless Fittings


Adaptors

BSPT Reducing Bush




Code	BSPT	BSPT
S1B3B40402	1/4	1/8
S1B3B40602	3/8	1/8
S1B3B40604	3/8	1/4
S1B3B40802	1/2	1/8
S1B3B40804	1/2	1/4
S1B3B40806	1/2	3/8
S1B3B41204	3/4	1/4
S1B3B41206	3/4	3/8
S1B3B41208	3/4	1/2
S1B3B41604	1"	1/4
S1B3B41606	1"	3/8
S1B3B41608	1"	1/2
S1B3B41612	1"	3/4
S1B3B42012	1.1/4	3/4
S1B3B42016	1.1/4	1"
S1B3B42412	1.1/2	3/4
S1B3B42416	1.1/2	1"
S1B3B42420	1.1/2	1.1/4
S1B3B43208	2"	1/2
S1B3B43216	2"	1"
S1B3B43220	2"	1.1/4
S1B3B43224	2"	1.1/2
S1B3B44032	2.1/2	2"
S1B3B44832	3"	2"

BSPT M&F Adaptor




Code	BSPT	BSPT
S1B3B40404	1/4	1/4
S1B3B40606	3/8	3/8
S1B3B40808	1/2	1/2
S1B3B41212	3/4	3/4
S1B3B41616	1"	1"
S1B3B42424	1.1/2	1.1/2
S1B3B43232	2"	2"

BSPT Male x JIC Male




Code	BSPT	JIC
S1B3J10207	1/8	7/16
S1B3J10208	1/8	1/2
S1B3J10209	1/8	9/16
S1B3J10407	1/4	7/16
S1B3J10408	1/4	1/2
S1B3J10409	1/4	9/16
S1B3J10412	1/4	3/4
S1B3J10414	1/4	7/8
S1B3J10607	3/8	7/16
S1B3J10608	3/8	1/2
S1B3J10609	3/8	9/16
S1B3J10612	3/8	3/4
S1B3J10614	3/8	7/8
S1B3J10617	3/8	1.1/16
S1B3J10807	1/2	7/16
S1B3J10808	1/2	1/2
S1B3J10809	1/2	9/16
S1B3J10812	1/2	3/4
S1B3J10814	1/2	7/8
S1B3J10817	1/2	1.1/16
S1B3J11209	3/4	9/16
S1B3J11212	3/4	3/4
S1B3J11214	3/4	7/8
S1B3J11217	3/4	1.1/16
S1B3J11221	3/4	1.5/16
S1B3J11612	1"	3/4
S1B3J11614	1"	7/8
S1B3J11617	1"	1.1/16
S1B3J11621	1"	1.5/16
S1B3J11626	1"	1.5/8
S1B3J12021	1.1/4	1.5/16
S1B3J12026	1.1/4	1.5/8
S1B3J12030	1.1/4	1.7/8
S1B3J12426	1.1/2	1.5/8
S1B3J12430	1.1/2	1.7/8
S1B3J12440	1.1/2	2.1/2
S1B3J13230	2"	1.7/8
S1B3J13240	2"	2.1/2
S1B3J14048	2.1/2	3"

BSPT Male x JIC Female Swivel




Code	BSPT	JIC
S1B3J30207	1/8	7/16
S1B3J30209	1/8	9/16
S1B3J30407	1/4	7/16
S1B3J30408	1/4	1/2
S1B3J30409	1/4	9/16
S1B3J30412	1/4	3/4
S1B3J30607	3/8	7/16
S1B3J30609	3/8	9/16
S1B3J30612	3/8	3/4
S1B3J30614	3/8	7/8
S1B3J30812	1/2	3/4
S1B3J30814	1/2	7/8
S1B3J31217	3/4	1.1/16
S1B3J31621	1"	1.5/16

BSPT Male x DIN(L) Male



Code	BSPT	Thread
S1B3M10412	1/4	12x1.5
S1B3M10414	1/4	14x1.5
S1B3M10416	1/4	16x1.5
S1B3M10616	3/8	16x1.5
S1B3M10618	3/8	18x1.5
S1B3M10622	3/8	22x1.5
S1B3M10818	1/2	18x1.5
S1B3M10822	1/2	22x1.5
S1B3M10826	1/2	26x1.5
S1B3M11230	3/4	30x2
S1B3M11236	3/4	36x2

BSPT Male x DIN(H) Male




Code	BSPT	Thread
S1B3M30618	3/8	18x1.5
S1B3M30822	1/2	22x1.5
S1B3M30824	1/2	24x1.5
S1B3M31236	3/4	36x2
S1B3M32042	1.1/4	42x2



DBF Stainless Fittings


Adaptors

BSPT Male x Tubeweld




Code	BSPT	T/Weld
S1B3T10404	1/4	1/4
S1B3T10606	3/8	3/8
S1B3T10808	1/2	1/2
S1B3T11212	3/4	3/4
S1B3T11216	3/4	1"
S1B3T11612	1"	3/4
S1B3T11616	1"	1"
S1B3T12020	1.1/4	1.1/4
S1B3T12024	1.1/4	1.1/2
S1B3T12416	1.1/2	1"
S1B3T12420	1.1/2	1.1/4
S1B3T12424	1.1/2	1.1/2
S1B3T13232	2"	2"

BSPT Male 90° Elbow




Code	BSPT	BSPT
S2B3B30202	1/8	1/8
S2B3B30204	1/8	1/4
S2B3B30404	1/4	1/4
S2B3B30406	1/4	3/8
S2B3B30408	1/4	1/2
S2B3B30606	3/8	3/8
S2B3B30608	3/8	1/2
S2B3B30612	3/8	3/4
S2B3B30808	1/2	1/2
S2B3B30812	1/2	3/4
S2B3B31212	3/4	3/4
S2B3B31216	3/4	1"
S2B3B31616	1"	1"
S2B3B32020	1.1/4	1.1/4
S2B3B32424	1.1/2	1.1/2
S2B3B33232	2"	2"

BSPT Male x UNO Male




Code	BSPT	UNO
S1B3U10407	1/4	7/16
S1B3U10409	1/4	9/16
S1B3U10609	3/8	9/16
S1B3U10612	3/8	3/4
S1B3U10614	3/8	7/8
S1B3U10812	1/2	3/4
S1B3U10814	1/2	7/8
S1B3U10817	1/2	1.1/16
S1B3U11212	3/4	3/4
S1B3U11214	3/4	7/8
S1B3U11217	3/4	1.1/16
S1B3U11226	3/4	1.5/8

BSPT Male x BSPT Fem 90°




Code	BSPT	BSPT
S2B3B40404	1/4	1/4
S2B3B40604	3/8	1/4
S2B3B40606	3/8	3/8
S2B3B40808	1/2	1/2
S2B3B41212	3/4	3/4
S2B3B41616	1"	1"
S2B3B42020	1.1/4	1.1/4
S2B3B42424	1.1/2	1.1/2

BSPT Male 45° Elbow




Code	BSPT	BSPT
S3B3B30404	1/4	1/4
S3B3B30606	3/8	3/8
S3B3B30808	1/2	1/2
S3B3B31212	3/4	3/4

BSPT Male x JIC Male 90°



Code	BSPT	JIC
S2B3J10207	1/8	7/16
S2B3J10209	1/8	9/16
S2B3J10407	1/4	7/16
S2B3J10408	1/4	1/2
S2B3J10409	1/4	9/16
S2B3J10412	1/4	3/4
S2B3J10607	3/8	7/16
S2B3J10608	3/8	1/2
S2B3J10609	3/8	9/16
S2B3J10612	3/8	3/4
S2B3J10614	3/8	7/8
S2B3J10807	1/2	7/16
S2B3J10808	1/2	1/2
S2B3J10809	1/2	9/16
S2B3J10812	1/2	3/4
S2B3J10814	1/2	7/8
S2B3J10817	1/2	1.1/16
S2B3J11209	3/4	9/16
S2B3J11212	3/4	3/4
S2B3J11214	3/4	7/8
S2B3J11217	3/4	1.1/16
S2B3J11221	3/4	1.5/16
S2B3J11621	1"	1.5/16
S2B3J11626	1"	1.5/8
S2B3J12026	1.1/4	1.5/8

BSPT Male x JIC Male 45°




Code	BSPT	JIC
S3B3J10209	1/8	9/16
S3B3J10407	1/4	7/16
S3B3J10409	1/4	9/16
S3B3J10609	3/8	9/16
S3B3J10614	3/8	7/8
S3B3J10809	1/2	9/16
S3B3J10812	1/2	3/4
S3B3J10814	1/2	7/8
S3B3J11212	3/4	3/4
S3B3J11217	3/4	1.1/16



DBF Stainless Fittings

Adaptors

BSPT Hex Plug




Code	BSPT
S6B302	1/8
S6B304	1/4
S6B306	3/8
S6B308	1/2
S6B312	3/4
S6B316	1"
S6B320	1.1/4
S6B324	1.1/2
S6B332	2"

BSPT Internal Hex Plug




Code	BSPT
S6B302SH	1/8
S6B304SH	1/4
S6B306SH	3/8
S6B308SH	1/2
S6B312SH	3/4
S6B316SH	1"
S6B320SH	1.1/4
S6B324SH	1.1/2
S6B332SH	2"

BSPT Male x BSPP Female Swivel Run Tee




Code	BSPT	BSPP
S7B3B2B304	1/4	1/4
S7B3B2B306	3/8	3/8
S7B3B2B308	1/2	1/2
S7B3B2B312	3/4	3/4

BSPT Male Tee



Code	BSPT
S7B3B3B304	1/4
S7B3B3B306	3/8
S7B3B3B308	1/2
S7B3B3B312	3/4
S7B3B3B316	1"
S7B3B3B320	1.1/4
S7B3B3B324	1.1/2

BSPT Female Socket




Code	BSPT	BSPT
S1B4B40202	1/8	1/8
S1B4B40404	1/4	1/4
S1B4B40406	1/4	3/8
S1B4B40606	3/8	3/8
S1B4B40608	3/8	1/2
S1B4B40808	1/2	1/2
S1B4B40812	1/2	3/4
S1B4B41212	3/4	3/4
S1B4B41616	1"	1"
S1B4B42020	1.1/4	1.1/4
S1B4B42424	1.1/2	1.1/2
S1B4B43232	2"	2"
S1B4B44040	2.1/2	2.1/2
S1B4B44848	3"	2"

BSPT Female 45° Elbow




Code	BSPT	BSPT
S3B4B40808	1/2	1/2
S3B4B42020	1.1/4	1.1/4
S3B4B42424	1.1/2	1.1/2

BSPT Female 90° Elbow




Code	BSPT	BSPT
S2B4B40404	1/4	1/4
S2B4B40606	3/8	3/8
S2B4B40808	1/2	1/2
S2B4B41212	3/4	3/4
S2B4B41616	1"	1"
S2B4B42020	1.1/4	1.1/4
S2B4B42424	1.1/2	1.1/2
S2B4B43232	2"	2"

BSPT Female Tee



Code	BSPT
S7B4B4B404	1/4
S7B4B4B406	3/8
S7B4B4B408	1/2
S7B4B4B412	3/4
S7B4B4B416	1"
S7B4B4B420	1.1/4
S7B4B4B424	1.1/2

BSPP Positional Male x JIC Male 90°




Code	BSPP	JIC
S2B6J10207	1/8	7/16
S2B6J10407	1/4	7/16
S2B6J10409	1/4	9/16
S2B6J10609	3/8	9/16
S2B6J10612	3/8	3/4
S2B6J10812	1/2	3/4
S2B6J10814	1/2	7/8
S2B6J11217	3/4	1.1/16



DBF Stainless Fittings


Adaptors

JIC Male x JIC Male




Code	JIC	JIC
S1J1J10607	3/8	7/16
S1J1J10707	7/16	7/16
S1J1J10708	7/16	1/2
S1J1J10709	7/16	9/16
S1J1J10808	1/2	1/2
S1J1J10809	1/2	9/16
S1J1J10909	9/16	9/16
S1J1J10912	9/16	3/4
S1J1J10914	9/16	7/8
S1J1J10917	9/16	1.1/16
S1J1J11212	3/4	3/4
S1J1J11214	3/4	7/8
S1J1J11217	3/4	1.1/16
S1J1J11414	7/8	7/8
S1J1J11417	7/8	1.1/16
S1J1J11717	1.1/16	1.1/16
S1J1J11721	1.1/16	1.5/16
S1J1J12121	1.5/16	1.5/16
S1J1J12126	1.5/16	1.5/8
S1J1J12626	1.5/8	1.5/8
S1J1J12630	1.5/8	1.7/8
S1J1J13030	1.7/8	1.7/8
S1J1J13040	1.7/8	2.1/2
S1J1J14040	2.1/2	2.1/2

JIC Male x JIC Male 90°




Code	JIC	JIC
S2J1J10707	7/16	7/16
S2J1J10909	9/16	9/16
S2J1J11212	3/4	3/4
S2J1J11414	7/8	7/8
S2J1J11717	1.1/16	1.1/16
S2J1J11721	1.1/16	1.5/16
S2J1J12121	1.5/16	1.5/16
S2J1J12626	1.5/8	1.5/8
S2J1J13030	1.7/8	1.7/8

JIC Male x JIC Female




Code	JIC	JIC
S1J1J30707	7/16	7/16
S1J1J30709	7/16	9/16
S1J1J30712	7/16	3/4
S1J1J30714	7/16	7/8
S1J1J30909	9/16	9/16
S1J1J30912	9/16	3/4
S1J1J30914	9/16	7/8
S1J1J30917	9/16	1.1/16
S1J1J31212	3/4	3/4
S1J1J31214	3/4	7/8
S1J1J31217	3/4	1.1/16
S1J1J31221	3/4	1.5/16
S1J1J31409	7/8	9/16
S1J1J31414	7/8	7/8
S1J1J31417	7/8	1.1/16
S1J1J31421	7/8	1.5/16
S1J1J31717	1.1/16	1.1/16
S1J1J31721	1.1/16	1.5/16
S1J1J31730	1.1/16	1.7/8
S1J1J32121	1.5/16	1.5/16
S1J1J32126	1.5/16	1.5/8
S1J1J32626	1.5/8	1.5/8
S1J1J33030	1.7/8	1.7/8

JIC Male x JIC Female 90°



Code	JIC	JIC
S2J1J30707	7/16	7/16
S2J1J30808	1/2	1/2
S2J1J30909	9/16	9/16
S2J1J31212	3/4	3/4
S2J1J31414	7/8	7/8
S2J1J31717	1.1/16	1.1/16
S2J1J32121	1.5/16	1.5/16
S2J1J32626	1.5/8	1.5/8
S2J1J33030	1.7/8	1.7/8

JIC Male x NPT Male




Code	JIC	NPT
S1J1N10702	7/16	1/8
S1J1N10704	7/16	1/4
S1J1N10706	7/16	3/8
S1J1N10708	7/16	1/2
S1J1N10802	1/2	1/8
S1J1N10804	1/2	1/4
S1J1N10806	1/2	3/8
S1J1N10808	1/2	1/2
S1J1N10902	9/16	1/8
S1J1N10904	9/16	1/4
S1J1N10906	9/16	3/8
S1J1N10908	9/16	1/2
S1J1N10912	9/16	3/4
S1J1N11204	3/4	1/4
S1J1N11206	3/4	3/8
S1J1N11208	3/4	1/2
S1J1N11212	3/4	3/4
S1J1N11216	3/4	1"
S1J1N11404	7/8	1/4
S1J1N11406	7/8	3/8
S1J1N11408	7/8	1/2
S1J1N11412	7/8	3/4
S1J1N11416	7/8	1"
S1J1N11708	1.1/16	1/2
S1J1N11712	1.1/16	3/4
S1J1N11716	1.1/16	1"
S1J1N11720	1.1/16	1.1/4
S1J1N11724	1.1/16	1.1/2
S1J1N12112	1.5/16	3/4
S1J1N12116	1.5/16	1"
S1J1N12120	1.5/16	1.1/4
S1J1N12620	1.5/8	1.1/4
S1J1N12624	1.5/8	1.1/2
S1J1N13024	1.7/8	1.1/2
S1J1N13032	1.7/8	2"
S1J1N14032	2.1/2	2"
S1J1N14040	2.1/2	2.1/2



DBF Stainless Fittings


Adaptors

JIC Male x Standpipe




Code	JIC	Stand
SIJIS40703	7/16	3/16
SIJIS40704	7/16	1/4
SIJIS40706	7/16	3/8
SIJIS40906	9/16	3/8
SIJIS40908	9/16	1/2
SIJIS40910	9/16	5/8
SIJIS41206	3/4	3/8
SIJIS41208	3/4	1/2
SIJIS41210	3/4	5/8
SIJIS41410	7/8	5/8
SIJIS41712	1.1/16	3/4
SIJIS42116	1.5/16	1"
SIJIS42120	1.5/16	1.1/4
SIJIS42124	1.5/16	1.1/2
SIJIS42620	1.5/8	1.1/4
SIJIS42624	1.5/8	1.1/2
SIJIS43024	1.7/8	1.1/2

JIC Male x Tubeweld




Code	JIC	T/Weld
SIJIT10704	7/16	1/4
SIJIT10904	9/16	1/4
SIJIT10906	9/16	3/8
SIJIT11206	3/4	3/8
SIJIT11208	3/4	1/2
SIJIT11212	3/4	3/4
SIJIT11408	7/8	1/2
SIJIT11410	7/8	5/8
SIJIT11412	7/8	3/4
SIJIT11712	1.1/16	3/4
SIJIT11714	1.1/16	7/8
SIJIT11716	1.1/16	1"
SIJIT12116	1.5/16	1"
SIJIT12620	1.5/8	1.1/4
SIJIT12624	1.5/8	1.1/2
SIJIT13024	1.7/8	1.1/2
SIJIT13032	1.7/8	2"
SIJIT14032	2.1/2	2"

JIC Male x UNO Male



Code	JIC	UNO
SIJ1U10607	3/8	7/16
SIJ1U10705	7/16	5/16
SIJ1U10707	7/16	7/16
SIJ1U10708	7/16	1/2
SIJ1U10709	7/16	9/16
SIJ1U10712	7/16	3/4
SIJ1U10807	1/2	7/16
SIJ1U10808	1/2	1/2
SIJ1U10907	9/16	7/16
SIJ1U10908	9/16	1/2
SIJ1U10909	9/16	9/16
SIJ1U10912	9/16	3/4
SIJ1U10914	9/16	7/8
SIJ1U11209	3/4	9/16
SIJ1U11212	3/4	3/4
SIJ1U11214	3/4	7/8
SIJ1U11217	3/4	1.1/16
SIJ1U11412	7/8	3/4
SIJ1U11414	7/8	7/8
SIJ1U11417	7/8	1.1/16
SIJ1U11421	7/8	1.5/16
SIJ1U11712	1.1/16	3/4
SIJ1U11714	1.1/16	7/8
SIJ1U11717	1.1/16	1.1/16
SIJ1U11721	1.1/16	1.5/16
SIJ1U12114	1.5/16	7/8
SIJ1U12117	1.5/16	1.1/16
SIJ1U12121	1.5/16	1.5/16
SIJ1U12126	1.5/16	1.5/8
SIJ1U12621	1.5/8	1.5/16
SIJ1U12626	1.5/8	1.5/8
SIJ1U12630	1.5/8	1.7/8
SIJ1U13026	1.7/8	1.5/8
SIJ1U13030	1.7/8	1.7/8
SIJ1U14030	2.1/2	1.7/8
SIJ1U14040	2.1/2	2.1/2


JIC Male Bulkhead



Code	JIC	JIC
SIJ1J20707	7/16	7/16
SIJ1J20808	1/2	1/2
SIJ1J20909	9/16	9/16
SIJ1J21212	3/4	3/4
SIJ1J21414	7/8	7/8
SIJ1J21717	1.1/16	1.1/16
SIJ1J22121	1.5/16	1.5/16
SIJ1J22626	1.5/8	1.5/8
SIJ1J23030	1.7/8	1.7/8
SIJ1J24040	2.1/2	2.1/2

Some sizes also available in varying lengths. Contact the office for details.

JIC Male x NPT Male 90°




Code	JIC	NPT
S2JIN10702	7/16	1/8
S2JIN10704	7/16	1/4
S2JIN10706	7/16	3/8
S2JIN10708	7/16	1/2
S2JIN10804	1/2	1/4
S2JIN10902	9/16	1/8
S2JIN10904	9/16	1/4
S2JIN10906	9/16	3/8
S2JIN10908	9/16	1/2
S2JIN11204	3/4	1/4
S2JIN11206	3/4	3/8
S2JIN11208	3/4	1/2
S2JIN11406	7/8	3/8
S2JIN11408	7/8	1/2
S2JIN11712	1.1/16	3/4
S2JIN12112	1.5/16	3/4
S2JIN12116	1.5/16	1"
S2JIN12620	1.5/8	1.1/4
S2JIN13024	1.7/8	1.1/2



DBF Stainless Fittings

Adaptors

JIC Male x UNO Positional Male 90°




Code	JIC	UNO
S2J1U20707	7/16	7/16
S2J1U20709	7/16	9/16
S2J1U20808	1/2	1/2
S2J1U20909	9/16	9/16
S2J1U20912	9/16	3/4
S2J1U21209	3/4	9/16
S2J1U21212	3/4	3/4
S2J1U21214	3/4	7/8
S2J1U21412	7/8	3/4
S2J1U21414	7/8	7/8
S2J1U21712	1.1/16	3/4
S2J1U21714	1.1/16	7/8
S2J1U21717	1.1/16	1.1/16
S2J1U21721	1.1/16	1.5/16
S2J1U22121	1.5/16	1.5/16
S2J1U22626	1.5/8	1.5/8

JIC Female x Tubeweld




Code	JIC	T/Weld
SIJ3T10704	7/16	1/4
SIJ3T10706	7/16	3/8
SIJ3T10904	9/16	1/4
SIJ3T10906	9/16	3/8
SIJ3T10908	9/16	1/2
SIJ3T11206	3/4	3/8
SIJ3T11208	3/4	1/2
SIJ3T11212	3/4	3/4
SIJ3T11408	7/8	1/2
SIJ3T11410	7/8	5/8
SIJ3T11412	7/8	3/4
SIJ3T11712	1.1/16	3/4
SIJ3T11716	1.1/16	1"
SIJ3T12116	1.5/16	1"
SIJ3T12120	1.5/16	1.1/4
SIJ3T12620	1.5/8	1.1/4
SIJ3T12624	1.5/8	1.1/2
SIJ3T13024	1.7/8	1.1/2
SIJ3T14032	2.1/2	2"

JIC Male x NPT Female 45°




Code	JIC	NPT
S3J1N10702	7/16	1/8
S3J1N10704	7/16	1/4
S3J1N10904	9/16	1/4
S3J1N10906	9/16	3/8
S3J1N11208	3/4	1/2
S3J1N11408	7/8	1/2
S3J1N11712	1.1/16	3/4
S3J1N12620	1.5/8	1.1/4
S3J1N13024	1.7/8	1.1/2

JIC Male x JIC Female 45°




Code	JIC	JIC
S3J1J30707	7/16	7/16
S3J1J30909	9/16	9/16
S3J1J31212	3/4	3/4
S3J1J31414	7/8	7/8
S3J1J31717	1.1/16	1.1/16
S3J1J32121	1.5/16	1.5/16

JIC Male Tee




Code	JIC
S7J1J1J107	7/16
S7J1J1J109	9/16
S7J1J1J112	3/4
S7J1J1J114	7/8
S7J1J1J117	1.1/16
S7J1J1J121	1.5/16
S7J1J1J126	1.5/8
S7J1J1J130	1.7/8

JIC Male x JIC Female Branch Tee



Code	JIC
S7J1J1J307	7/16
S7J1J1J309	9/16
S7J1J1J312	3/4
S7J1J1J314	7/8
S7J1J1J317	1.1/16
S7J1J1J321	1.5/16
S7J1J1J326	1.5/8

JIC Male x JIC Female Run Tee



Code	JIC
S7J1J3J107	7/16
S7J1J3J108	1/2
S7J1J3J109	9/16
S7J1J3J112	3/4
S7J1J3J114	7/8
S7J1J3J117	1.1/16
S7J1J3J121	1.5/16
S7J1J3J126	1.5/8
S7J1J3J130	1.7/8

JIC Female x NPT Male




Code	JIC	NPT
SIJ3N10704	7/16	1/4
SIJ3N10904	9/16	1/4
SIJ3N11206	3/4	3/8
SIJ3N11408	7/8	1/2
SIJ3N12116	1.5/16	1"



DBF Stainless Fittings


Adaptors

JIC Hex Plug




Code	JIC
S6J107	7/16
S6J108	1/2
S6J109	9/16
S6J112	3/4
S6J114	7/8
S6J117	1.1/16
S6J119	1.3/16
S6J121	1.5/16
S6J126	1.5/8

JIC Swivel Cap




Code	JIC
S6J307	7/16
S6J308	1/2
S6J309	9/16
S6J312	3/4
S6J314	7/8
S6J317	1.1/16
S6J321	1.5/16
S6J326	1.5/8

DIN(L) Male x UNO Male




Code	Thread	UNO
S1M1U11407	14x1.5	7/16
S1M1U11807	18x1.5	7/16
S1M1U11809	18x1.5	9/16
S1M1U11812	18x1.5	3/4
S1M1U11814	18x1.5	7/8
S1M1U12614	26x1.5	7/8
S1M1U13017	30x2	1.1/16

DIN(H) Male x UNO Male




Code	Thread	UNO
S1M3U11809	18x1.5	9/16
S1M3U12414	24x1.5	7/8
S1M3U13012	30x2	3/4
S1M3U13017	30x2	1.1/16
S1M3U13617	36x2	1.1/16

NPT Male x NPT Male




Code	NPT	NPT
S1N1N10202	1/8	1/8
S1N1N10204	1/8	1/4
S1N1N10206	1/8	3/8
S1N1N10404	1/4	1/4
S1N1N10406	1/4	3/8
S1N1N10408	1/4	1/2
S1N1N10412	1/4	3/4
S1N1N10606	3/8	3/8
S1N1N10608	3/8	1/2
S1N1N10612	3/8	3/4
S1N1N10808	1/2	1/2
S1N1N10812	1/2	3/4
S1N1N10816	1/2	1"
S1N1N11212	3/4	3/4
S1N1N11216	3/4	1"
S1N1N11220	3/4	1.1/4
S1N1N11616	1"	1"
S1N1N11620	1"	1.1/4
S1N1N11624	1"	1.1/2
S1N1N11632	1"	2"
S1N1N12020	1.1/4	1.1/4
S1N1N12024	1.1/4	1.1/2
S1N1N12424	1.1/2	1.1/2
S1N1N13232	2"	2"

NPT Reducing Bush



Code	NPT	NPT
S1N1N20402	1/4	1/8
S1N1N20604	3/8	1/4
S1N1N20802	1/2	1/8
S1N1N20804	1/2	1/4
S1N1N20806	1/2	3/8
S1N1N21206	3/4	3/8
S1N1N21208	3/4	1/2
S1N1N21604	1"	1/4
S1N1N21606	1"	3/8
S1N1N21608	1"	1/2
S1N1N21612	1"	3/4
S1N1N22012	1.1/4	3/4
S1N1N22016	1.1/4	1"
S1N1N22412	1.1/2	3/4
S1N1N22416	1.1/2	1"
S1N1N23208	2"	1/2
S1N1N23224	2"	1.1/2
S1N1N24832	3"	2"

NPT M&F Adaptor




Code	NPT	NPT
S1N1N20202	1/8	1/8
S1N1N20404	1/4	1/4
S1N1N20406	1/4	3/8
S1N1N20408	1/4	1/2
S1N1N20606	3/8	3/8
S1N1N20808	1/2	1/2
S1N1N20812	1/2	3/4



DBF Stainless Fittings

Adaptors

NPT Hex Plug




Code	NPT
S6N102	1/8
S6N104	1/4
S6N106	3/8
S6N108	1/2
S6N112	3/4
S6N116	1"
S6N120	1.1/4
S6N124	1.1/2
S6N132	2"

NPT Internal Hex Plug




Code	NPT
S6N102SH	1/8
S6N104SH	1/4
S6N106SH	3/8
S6N108SH	1/2
S6N112SH	3/4
S6N116SH	1"
S6N120SH	1.1/4

NPT Female Socket




Code	NPT	NPT
S1N2N20202	1/8	1/8
S1N2N20204	1/8	1/4
S1N2N20404	1/4	1/4
S1N2N20406	1/4	3/8
S1N2N20606	3/8	3/8
S1N2N20808	1/2	1/2
S1N2N21212	3/4	3/4
S1N2N21616	1"	1"
S1N2N22020	1.1/4	1.1/4
S1N2N22424	1.1/2	1.1/2
S1N2N23232	2"	2"

NPT Male x NPSM Female




Code	NPT	NPSM
S1N1N30404	1/4	1/4
S1N1N30606	3/8	3/8
S1N1N31616	1"	1"

NPT Female Tee




Code	NPT
S7N2N2N202	1/8
S7N2N2N204	1/4
S7N2N2N206	3/8
S7N2N2N208	1/2
S7N2N2N212	3/4
S7N2N2N216	1"
S7N2N2N224	1.1/2

NPT Blanking Cap




Code	NPT
S6N202	1/8
S6N220	1.1/4
S6N224	1.1/2

UNO Internal Hex Plug



Code	UNO
S6U107SH	7/16
S6U109SH	9/16
S6U117SH	1.1/16

UNO Hex Plug



Code	UNO
S6U107	7/16
S6U108	1/2
S6U109	9/16
S6U112	3/4
S6U114	7/8
S6U117	1.1/16
S6U121	1.5/16
S6U126	1.5/8
S6U130	1.7/8

JIC Nut & Sleeve



Code	Tube	JIC
75-SZJ304	1/4	7/16
75-SZJ306	3/8	9/16
75-SZJ308	1/2	3/4
75-SZJ310	5/8	7/8
75-SZJ312	3/4	1.1/16
75-SZJ316	1"	1.5/16

Bonded (Dowty) Deals




Code	Thread
75-SDS04	1/4
75-SDS06	3/8
75-SDS08	1/2
75-SDS12	3/4
75-SDS16	1"



DBF Stainless Fittings

DBF Products Also Available



Convoluted Hose Ends with BSP, NPT and JIC threads



BSP to NPT Adaptors

Other Stainless Steel Products Available




TWIN FERRULE TUBE FITTINGS



BITE TYPE TUBE FITTINGS



INSTRUMENTATION VALVES



150LB Screwed Fittings

