


Black Nylon Cable Ties (Category 11)



| Code | Length | Width | Qty | Loop Tensile Strength | |
|-------------|--------|-------|-----|-----------------------|-----|
| | | | | Newton | lbf |
| 11-CT010025 | 100mm | 2.5mm | 100 | 80 | 18 |
| 11-CT015035 | 150mm | 3.5mm | 100 | 178 | 40 |
| 11-CT020025 | 200mm | 2.5mm | 100 | 80 | 18 |
| 11-CT020035 | 200mm | 3.5mm | 100 | 178 | 40 |
| 11-CT020047 | 200mm | 4.7mm | 100 | 222 | 50 |
| 11-CT025035 | 250mm | 3.5mm | 100 | 178 | 40 |
| 11-CT025047 | 250mm | 4.7mm | 100 | 222 | 50 |
| 11-CT030035 | 300mm | 3.5mm | 100 | 178 | 40 |
| 11-CT030047 | 300mm | 4.7mm | 100 | 222 | 50 |
| 11-CT030075 | 300mm | 7.5mm | 100 | 534 | 120 |
| 11-CT037075 | 370mm | 7.5mm | 100 | 534 | 120 |
| 11-CT038047 | 380mm | 4.7mm | 100 | 222 | 50 |
| 11-CT043047 | 430mm | 4.7mm | 100 | 222 | 50 |
| 11-CT053013 | 530mm | 13mm | 25 | 1112 | 250 |
| 11-CT055075 | 550mm | 7.5mm | 50 | 534 | 120 |
| 11-CT055090 | 550mm | 9mm | 50 | 778 | 175 |
| 11-CT076090 | 760mm | 9mm | 25 | 778 | 175 |
| 11-CT102090 | 1020mm | 9mm | 25 | 778 | 175 |

- Manufactured from Black Nylon 66
- UV Stabilised and Weather Resistant.
- Heat Resistant. Certified 94V-2 by Underwriters Laboratories Inc
- Operating Temperature -
- -35°C to 85°C



Certification File E359184

Cable Tie Stands Also Available

Nylon Cable Tie Assortments (Category 11)



Code : 11-CT1000K

| Size | Colour | Qty |
|---------|--------|-----|
| 100x2.5 | Black | 200 |
| 150x3.5 | Black | 200 |
| 200x4.7 | Black | 200 |
| 300x4.7 | Black | 200 |
| 370x7.5 | Black | 200 |

Code : 11-CT1000TP

| Size | Colour | Qty |
|---------|--------|-----|
| 100x2.5 | Black | 200 |
| 150x3.5 | Black | 200 |
| 200x4.7 | Black | 200 |
| 250x4.7 | Black | 200 |
| 300x4.7 | Black | 200 |



Code : 11-CTP850

| Size | Colour | Qty |
|---------|---------|-----|
| 100x2.5 | Blue | 100 |
| 100x2.5 | Red | 100 |
| 100x2.5 | Yellow | 100 |
| 100x2.5 | Green | 100 |
| 100x2.5 | Natural | 100 |
| 200x4.8 | Natural | 300 |
| 280x4.8 | Natural | 50 |

Code : 11-CTP400

| Size | Colour | Qty |
|---------|---------|-----|
| 100x2.5 | Blue | 50 |
| 100x2.5 | Red | 50 |
| 100x2.5 | Yellow | 50 |
| 100x2.5 | Green | 50 |
| 100x2.5 | Natural | 100 |
| 150x3.3 | Natural | 100 |

Code : 11-CTP1200

| Size | Colour | Qty |
|---------|---------|-----|
| 100x2.5 | Black | 200 |
| 100x2.5 | Natural | 200 |
| 100x2.5 | Red | 100 |
| 100x2.5 | Green | 100 |
| 100x2.5 | Blue | 100 |
| 100x2.5 | Yellow | 100 |
| 200x4.8 | Natural | 350 |
| 280x4.8 | Natural | 50 |

Stainless Steel Cable Ties (Category 11)



| Code | Length | Width | Qty | Tensile Strength | |
|---------------|--------|-------|-----|------------------|-----|
| | | | | Newton | lbf |
| 11-CTSS020046 | 200mm | 4.6mm | 50 | 445 | 100 |
| 11-CTSS030046 | 300mm | 4.6mm | 50 | 445 | 100 |
| 11-CTSS030079 | 300mm | 7.9mm | 25 | 783 | 176 |
| 11-CTSS040046 | 400mm | 4.6mm | 50 | 445 | 100 |
| 11-CTSS040079 | 400mm | 7.9mm | 25 | 783 | 176 |
| 11-CTSS052046 | 520mm | 4.6mm | 50 | 445 | 100 |
| 11-CTSS052079 | 520mm | 7.9mm | 25 | 783 | 176 |
| 11-CTSS084079 | 840mm | 7.9mm | 10 | 783 | 176 |
| 11-CTSS105079 | 1050mm | 7.9mm | 10 | 783 | 176 |

Cable Tie Tools (Category 11)



Code : 11-CTG519

Heavy Duty Metal Tensioning and Cutting for Ties up to 9mm wide. Has automatic Cut Off



Code : 11-CTG100

Light Duty Tensioning and Cutting for Ties up to 4.8mm wide. Recommended for DIY use



Code : 11-CTG600A

Heavy Duty Metal Tensioning and Cutting for Ties up to 4.8mm wide. Has automatic Cut Off



Code : 11-CTG001

Tensioning and Cutting for Stainless Steel Cable Ties up to 7.9 mm wide.

Zinc Plated Steel Saddles & Clips (Category 11)



Double Sided Zinc Plated Steel Saddle

| Code | Size |
|----------|-------|
| 11-ZPS04 | 1/4 |
| 11-ZPS05 | 5/16 |
| 11-ZPS06 | 3/8 |
| 11-ZPS08 | 1/2 |
| 11-ZPS10 | 5/8 |
| 11-ZPS12 | 3/4 |
| 11-ZPS16 | 1" |
| 11-ZPS20 | 1.1/4 |
| 11-ZPS24 | 1.1/2 |
| 11-ZPS32 | 2" |



Single Sided Zinc Plated Steel Clip

| Code | Size |
|----------|------|
| 11-ZPC03 | 3/16 |
| 11-ZPC04 | 1/4 |
| 11-ZPC05 | 5/16 |
| 11-ZPC06 | 3/8 |
| 11-ZPC08 | 1/2 |
| 11-ZPC10 | 5/8 |
| 11-ZPC12 | 3/4 |
| 11-ZPC16 | 1" |

Some saddles and clips available in powder coated or Chrome finish. Contact the sales office to discuss your requirements.

Copper Saddles & Clips (Category 11)



Double Sided Copper Saddle

| Code | Size |
|---------|------|
| 11-CS04 | 1/4 |
| 11-CS05 | 5/16 |
| 11-CS06 | 3/8 |
| 11-CS08 | 1/2 |
| 11-CS10 | 5/8 |
| 11-CS12 | 3/4 |
| 11-CS14 | 7/8 |
| 11-CS16 | 1" |



Single Sided Copper Clip

| Code | Size |
|---------|------|
| 11-CC03 | 3/16 |
| 11-CC04 | 1/4 |
| 11-CC05 | 5/16 |
| 11-CC06 | 3/8 |
| 11-CC10 | 5/8 |
| 11-CC12 | 3/4 |

Stainless Steel Saddles (Category 11)



| Code | Description |
|-----------|--------------|
| 11-SS04 | 1/4 - 1 Way |
| 11-SS04-2 | 1/4 - 2 Way |
| 11-SS04-3 | 1/4 - 3 Way |
| 11-SS04-4 | 1/4 - 4 Way |
| 11-SS05 | 5/16 - 1 Way |
| 11-SS05-2 | 5/16 - 2 Way |
| 11-SS05-3 | 5/16 - 3 Way |
| 11-SS05-4 | 5/16 - 4 Way |
| 11-SS05-5 | 5/16 - 5 Way |
| 11-SS05-6 | 5/16 - 6 Way |

| Code | Description |
|-----------|-------------|
| 11-SS06 | 3/8 - 1 Way |
| 11-SS06-2 | 3/8 - 2 Way |
| 11-SS06-3 | 3/8 - 3 Way |
| 11-SS06-4 | 3/8 - 4 Way |
| 11-SS08 | 1/2 - 1 Way |
| 11-SS08-2 | 1/2 - 2 Way |
| 11-SS08-3 | 1/2 - 3 Way |
| 11-SS08-4 | 1/2 - 4 Way |
| 11-SS12 | 3/4 - 1 Way |
| 11-SS16 | 1" - 1 Way |
| 11-SS24 | 1.1/2 - Way |

Rubber Lined P Clips (Category 11)



W1



These rubber lined connecting clamps, known in the market as P-Clips are composed of a zinc plated mild steel band lined with EPDM rubber. This rubber lining allows for firm and safe clamping in the application zone and prevents potential damage due to vibration. The screw holes at either end of the band are reinforced with steel plates to ensure they clamp down firmly. The zinc plating increases the resistance to corrosion.

P-Clips are particularly recommended for mounting pipes, electric cable ducting and hoses in a multitude of different applications.

W1 Materials

Band:
Mild steel reinforced at both ends

Finish:
Galvanized and lined with EPDM rubber

| Code | Size | a | d |
|--------|-------|----|-----|
| 11-P03 | 3 mm | 12 | 6.0 |
| 11-P05 | 5 mm | 12 | 5.3 |
| 11-P06 | 6 mm | 12 | 5.3 |
| 11-P08 | 8 mm | 12 | 5.3 |
| 11-P10 | 10 mm | 12 | 5.3 |
| 11-P12 | 12 mm | 12 | 5.3 |
| 11-P13 | 13 mm | 12 | 5.3 |
| 11-P14 | 14 mm | 12 | 5.3 |
| 11-P16 | 16 mm | 12 | 5.3 |
| 11-P18 | 18 mm | 12 | 5.3 |
| 11-P19 | 19 mm | 12 | 5.3 |
| 11-P20 | 20 mm | 12 | 5.3 |
| 11-P22 | 22 mm | 12 | 5.3 |
| 11-P24 | 24 mm | 12 | 5.3 |
| 11-P25 | 25 mm | 12 | 5.3 |
| 11-P27 | 27 mm | 12 | 5.3 |
| 11-P28 | 28 mm | 15 | 6.4 |
| 11-P30 | 30 mm | 15 | 6.4 |
| 11-P32 | 32 mm | 15 | 6.4 |
| 11-P34 | 34 mm | 15 | 6.4 |
| 11-P35 | 35 mm | 15 | 6.4 |
| 11-P37 | 37 mm | 15 | 6.4 |
| 11-P38 | 38 mm | 15 | 6.4 |
| 11-P45 | 45 mm | 15 | 6.0 |
| 11-P50 | 50 mm | 20 | 6.0 |
| 11-P60 | 60 mm | 20 | 6.0 |
| 11-P76 | 76 mm | 20 | 6.0 |

